

LISTA DE APLICACIONES - BUYERS GUIDE

610584RB




8 424073 187604

Weight: 96

O.E.M.	MAKE
34 35 6 773 017	MINI
34 35 6 783 230	MINI
34 35 6 789 329	MINI

2x



L= 807 mm.

610584RB



807 mm.

WVA
23916
24478

Sin Filas



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

MINI

MINI (R56) 11.05-01.14

[CAMBIADO]:Fastback (Supermini car-B Segment)

One First (B38 A12 A)	Gasolina	FWD	1198	55	75	06.14-10.17	*
One First (B38 A12 A)	Gasolina	FWD	1198	55	75	07.14-10.17	*
One (B38 A12 A)	Gasolina	FWD	1198	75	102	05.14-10.17	*
One (B38 A12 A)	Gasolina	FWD	1198	75	102	04.14-10.17	*
One (N12 B14 A)	Gasolina	FWD	1397	55	75	03.09-03.10	*
One (N12 B14 A)	Gasolina	FWD	1397	70	95	11.06-03.10	*
Cooper (B36 A15 A)	Gasolina	FWD	1499	100	136	09.13-	*
Cooper (B38 A15 A)	Gasolina	FWD	1499	100	136	09.13-	*
Cooper (B36 A15 A)	Gasolina	FWD	1499	100	136	12.13-	*
Cooper (B38 A15 A)	Gasolina	FWD	1499	100	136	12.13-	*
One (N16 B16 A)	Gasolina	FWD	1598	55	75	03.10-11.13	*
One (N16 B16 A)	Gasolina	FWD	1598	72	98	03.10-11.13	*
Cooper (N12 B16 A)	Gasolina	FWD	1598	85	115	09.06-11.13	*
Cooper (N16 B16 A)	Gasolina	FWD	1598	85	115	09.06-11.13	*
Cooper (N12 B16 A)	Gasolina	FWD	1598	88	120	10.06-02.12	*
Cooper (N16 B16 A)	Gasolina	FWD	1598	88	120	10.06-02.12	*
Cooper (N12 B16 A)	Gasolina	FWD	1598	90	122	09.09-11.13	*
Cooper (N16 B16 A)	Gasolina	FWD	1598	90	122	09.09-11.13	*
Cooper S (N18 B16 A)	Gasolina	FWD	1598	120	163	03.10-11.13	*
Cooper S (N14 B16 A)	Gasolina	FWD	1598	128	174	10.06-02.10	*
Cooper S (N14 B16 AB)	Gasolina	FWD	1598	128	174	10.06-02.10	*
Cooper S (N18 B16 A)	Gasolina	FWD	1598	135	184	03.10-11.13	*
Cooper S John Cooper Works (N14 B16 A)	Gasolina	FWD	1598	141	192	11.06-02.10	*

LISTA DE APLICACIONES - BUYERS GUIDE

Cooper S John Cooper Works (N14 B16 AB)		Gasolina	FWD	1598	141	192	11.06-02.10	*
One LPG (N12 B14 A)		Gasol./Gas (LPG)	FWD	1397	55	75	03.09-03.10	*
One D (B37 C15 A)		Diesel	FWD	1496	70	95	02.14-	*
One D (B37 C15 A)		Diesel	FWD	1496	70	95	03.14-	*
Cooper D (B37 C15 A)		Diesel	FWD	1496	85	116	10.13-	*
Cooper D (B37 C15 A)		Diesel	FWD	1496	85	116	12.13-	*
One D (9HZ (DV6TED4))		Diesel	FWD	1560	66	90	06.09-07.10	*
Cooper D (9HZ (DV6TED4))		Diesel	FWD	1560	80	109	11.06-09.10	*
Cooper D (W16 D16 (9HZ))		Diesel	FWD	1560	80	109	11.06-09.10	*
One D (N47 C16 A)		Diesel	FWD	1598	66	90	07.10-11.13	*
Cooper D (N47 C16 A)		Diesel	FWD	1598	82	112	06.10-11.13	*
MINI (R57) 10.07-06.15					Cabrio (Supermini car-B Segment)			
One (N16 B16 A)		Gasolina	FWD	1598	72	98	09.09-06.15	*
Cooper (N12 B16 A)		Gasolina	FWD	1598	85	116	12.08-06.15	*
Cooper (N16 B16 A)		Gasolina	FWD	1598	85	116	12.08-06.15	*
Cooper (N12 B16 A)		Gasolina	FWD	1598	88	120	12.08-07.10	*
Cooper (N16 B16 A)		Gasolina	FWD	1598	90	122	03.10-06.15	*
Cooper S (N14 B16 A)		Gasolina	FWD	1598	120	163	10.07-06.15	*
Cooper S (N18 B16 A)		Gasolina	FWD	1598	120	163	10.07-06.15	*
Cooper S (N14 B16 A)		Gasolina	FWD	1598	128	174	12.08-07.10	*
Cooper S (N14 B16 AB)		Gasolina	FWD	1598	128	174	12.08-07.10	*
Cooper S (N18 B16 A)		Gasolina	FWD	1598	135	184	02.10-06.15	*
Cooper S (N14 B16 A)		Gasolina	FWD	1598	141	192	04.08-07.10	*
Cooper S (N14 B16 AB)		Gasolina	FWD	1598	141	192	04.08-07.10	*
Cooper S (N18 B16 A)		Gasolina	FWD	1598	147	200	02.10-06.15	*
John Cooper Works (N14 B16 C)		Gasolina	FWD	1598	155	211	08.08-05.15	*
John Cooper Works (N18 B16 C)		Gasolina	FWD	1598	155	211	08.08-05.15	*
Cooper D (N47 C16 A)		Diesel	FWD	1598	82	112	05.09-11.13	*
MINI CLUBMAN (R55) 10.06-12.15					[CAMBIADO]:Break (Supermini car-B Segment)			
One (N12 B14 A)		Gasolina	FWD	1397	70	95	03.09-02.10	*
One (N16 B16 A)		Gasolina	FWD	1598	72	98	03.10-06.14	*
Cooper (N16 B16 A)		Gasolina	FWD	1598	85	115	03.10-06.14	*
Cooper (N12 B16 A)		Gasolina	FWD	1598	88	120	10.07-12.13	*
Cooper (N16 B16 A)		Gasolina	FWD	1598	88	120	10.07-12.13	*
Cooper (N16 B16 A)		Gasolina	FWD	1598	90	122	03.10-06.14	*
Cooper S (N14 B16 A)		Gasolina	FWD	1598	120	163	10.07-06.14	*
Cooper S (N14 B16 AB)		Gasolina	FWD	1598	120	163	10.07-06.14	*
Cooper S (N18 B16 A)		Gasolina	FWD	1598	120	163	10.07-06.14	*
Cooper S (N14 B16 A)		Gasolina	FWD	1598	128	174	08.07-07.10	*
Cooper S (N14 B16 AB)		Gasolina	FWD	1598	128	174	08.07-07.10	*
Cooper S (N18 B16 A)		Gasolina	FWD	1598	135	184	03.10-06.14	*
Cooper S John Cooper Works (N14 B16 AB)		Gasolina	FWD	1598	141	192	10.08-02.10	*
Cooper S (N18 B16 A)		Gasolina	FWD	1598	147	200	03.10-06.14	*
John Cooper Works (N14 B16 C)		Gasolina	FWD	1598	155	211	11.07-06.14	*
John Cooper Works (N18 B16 C)		Gasolina	FWD	1598	155	211	11.07-06.14	*
Cooper D (9HZ (DV6TED4))		Diesel	FWD	1560	80	109	10.07-02.10	*
One D (N47 C16 A)		Diesel	FWD	1598	66	90	03.10-06.14	*
Cooper D (N47 C16 A)		Diesel	FWD	1598	82	112	03.10-06.14	*

LISTA DE APLICACIONES - BUYERS GUIDE

MINI CLUBMAN II (F54) 11.14-					[CAMBIADO]:Break (Supermini car-B Segment)			
Cooper (B36 A15 A)	Gasolina	FWD	1499	100	136	12.14-	*	
Cooper (B38 A15 A)	Gasolina	FWD	1499	100	136	12.14-	*	
Cooper S ALL4 (B48 A20 A)	Gasolina	4WD	1998	141	192	04.15-	*	
Cooper D (B47 C20 A)	Diesel	FWD	1995	110	150	12.14-	*	
Cooper D (B47 C20 B)	Diesel	FWD	1995	110	150	12.14-	*	
Cooper SD ALL4 (B47 C20 A)	Diesel	4WD	1995	140	190	04.15-	*	
Cooper SD ALL4 (B47 C20 B)	Diesel	4WD	1995	140	190	04.15-	*	
MINI CLUBVAN (R55) 12.12-06.14					[CAMBIADO]:Furgón/Break (Supermini car-B Segment)			
Cooper D (N47 C16 A)	Diesel	FWD	1598	82	112	12.12-06.14	*	