

LISTA DE APLICACIONES - BUYERS GUIDE

RB0659




8 424073 121646

Qty: 650

Weight: 3.800

| O.E.M. | MAKE |
|--------------|----------------|
| 5000 297 808 | RENAULT TRUCKS |
| 5000 813 673 | RENAULT TRUCKS |
| 5000 815 639 | RENAULT TRUCKS |
| 5000 821 995 | RENAULT TRUCKS |
| 5000 823 412 | RENAULT TRUCKS |
| 5001 621 995 | RENAULT TRUCKS |
| 5001 821 995 | RENAULT TRUCKS |



RB0659



90R-01179/685



Bendix SEE 2x67

180x86x20.5

WVA

29013

29014

Sin Filas



| Trac. | CC | Kw | CV |
|-------|----|----|----|
|-------|----|----|----|



Front / Rear

RENAULT TRUCKS

Midliner 10.82-01.00

Cabeza tractora

| Model | Engine | CC | Kw | CV | Year | Notes |
|----------------------------------|--------|------|-----|-----|-------------|-------|
| M 140.11/T (MIDS 06.02.12 C) | Diesel | 5490 | 103 | 140 | 05.89-03.93 | * |
| M 140.13/T (MIDS 06.02.12 C) | Diesel | 5490 | 103 | 140 | 04.89-03.93 | * |
| M 160.11/T (MIDS 06.02.12 B) | Diesel | 5490 | 117 | 159 | 05.89-03.93 | * |
| M 160.13/T (MIDS 06.02.12 B) | Diesel | 5490 | 117 | 159 | 05.89-03.93 | * |
| S 170.13TI/T (MIDR 06.02.12 D) | Diesel | 5490 | 127 | 173 | 10.84-05.89 | * |
| S 170.14/T (MIDR 06.02.12 D) | Diesel | 5490 | 127 | 173 | 10.82-03.93 | * |
| S 170.14/T (MIDR 06.02.12 D) | Diesel | 5490 | 127 | 173 | 10.82-03.93 | * |
| M 200.15/T (MIDR 06.02.26 H) | Diesel | 6180 | 144 | 196 | 05.88-03.93 | * |
| M 200.16/T (MIDR 06.02.26 H) | Diesel | 6180 | 144 | 196 | 05.88-03.93 | * |
| S 220.13TI/T (MIDR 06.02.26) | Diesel | 6180 | 159 | 216 | 09.87-09.90 | * |
| S 220.13TI/T (MIDR 06.02.26 D) | Diesel | 6180 | 159 | 216 | 09.87-09.90 | * |
| S 220.14TI/T (MIDR 06.02.26) | Diesel | 6180 | 159 | 216 | 09.87-09.90 | * |
| S 220.14TI/T (MIDR 06.02.26 D) | Diesel | 6180 | 159 | 216 | 09.87-09.90 | * |
| M 230.13C/T (MIDR 06.02.26 D) | Diesel | 6180 | 166 | 226 | 05.89-10.96 | * |
| M 230.13C/T (MIDR 06.02.26 S) | Diesel | 6180 | 166 | 226 | 05.89-10.96 | * |
| M 230.13C/T (MIDR 06.02.26 X) | Diesel | 6180 | 166 | 226 | 05.89-10.96 | * |
| M 250.15C/T (MIDR 06.02.26 Y/41) | Diesel | 6180 | 184 | 250 | 05.96-01.00 | * |

Midliner 10.82-01.00

Caja/Chasis

| Model | Engine | CC | Kw | CV | Year | Notes |
|-------------------------|--------|------|----|----|-------------|-------|
| S 100.06/A (T 4.38) | Diesel | 3869 | 69 | 94 | 01.86-09.90 | * |
| S 100.07/A (T 4.38) | Diesel | 3869 | 69 | 94 | 01.86-09.90 | * |
| S 100.08/A (T 4.38) | Diesel | 3869 | 69 | 94 | 01.86-09.90 | * |
| S 100.08/A (T 4.38) | Diesel | 3869 | 69 | 94 | 01.86-09.90 | * |
| S 100.09/A CIT (T 4.38) | Diesel | 3869 | 69 | 94 | 01.86-09.90 | * |

LISTA DE APLICACIONES - BUYERS GUIDE

| | | | | | | | | |
|---|--|--------|--|------|-----|-----|-------------|---|
| M 120.12 | | Diesel | | 4995 | 82 | 111 | 10.82- | * |
| M 120.13 | | Diesel | | 4995 | 82 | 111 | 10.82- | * |
| S 130.13 | | Diesel | | 5395 | 96 | 130 | 10.82- | * |
| S 130.14 | | Diesel | | 5395 | 96 | 130 | 10.82- | * |
| M 140.12/C (MIDS 06.02.12 C) | | Diesel | | 5490 | 103 | 140 | 05.89-03.93 | * |
| M 140.13/C (MIDS 06.02.12 C) | | Diesel | | 5490 | 103 | 140 | 05.89-03.93 | * |
| S 150.08TI (798-10) | | Diesel | | 5490 | 113 | 154 | 05.83-07.86 | * |
| S 150.09TI (798-10) | | Diesel | | 5490 | 113 | 154 | 05.83-07.86 | * |
| M 160.12/C (MIDS 06.02.12 B) | | Diesel | | 5490 | 117 | 159 | 05.89-03.93 | * |
| M 160.13/C (MIDS 06.02.12 B) | | Diesel | | 5490 | 117 | 159 | 05.89-03.93 | * |
| ME 160.13 (MIDS 06.02.12 B) | | Diesel | | 5490 | 117 | 159 | 05.89-03.93 | * |
| ME 160.15 (MIDS 06.02.12 B) | | Diesel | | 5490 | 117 | 159 | 05.89-03.93 | * |
| S 170.11TI (MIDR 06.02.12 D) | | Diesel | | 5490 | 127 | 173 | 10.87-05.89 | * |
| S 170.11TI/R (MIDR 06.02.12 D) | | Diesel | | 5490 | 127 | 173 | 10.87-05.89 | * |
| S 170.11TI/R (MIDR 06.02.12 D) | | Diesel | | 5490 | 127 | 173 | 10.87-05.89 | * |
| S 170.13TI,S 170.13TI/R (MIDR 06.02.12 D) | | Diesel | | 5490 | 127 | 173 | 10.83-05.89 | * |
| S 170.14TI (MIDR 06.02.12 D) | | Diesel | | 5490 | 127 | 173 | 10.83-05.89 | * |
| S 170.14TI/R (MIDR 06.02.12 D) | | Diesel | | 5490 | 127 | 173 | 10.87-05.89 | * |
| S 110.06/A (797-21) | | Diesel | | 5491 | 76 | 103 | 06.85-09.90 | * |
| S 110.07/A (797-21) | | Diesel | | 5491 | 76 | 103 | 06.85-09.90 | * |
| S 110.08/A (797-21) | | Diesel | | 5491 | 76 | 103 | 06.85-09.90 | * |
| S 110.08/A (797-21) | | Diesel | | 5491 | 76 | 103 | 06.85-09.90 | * |
| S 130.06 (797) | | Diesel | | 5491 | 96 | 130 | 09.83-01.90 | * |
| S 130.07 (797) | | Diesel | | 5491 | 96 | 130 | 09.83-01.90 | * |
| S 130.08/A (797) | | Diesel | | 5491 | 96 | 130 | 09.83-01.90 | * |
| S 130.08/A,S 130.08/B (797) | | Diesel | | 5491 | 96 | 130 | 09.83-01.90 | * |
| S 130.08/B (797) | | Diesel | | 5491 | 96 | 130 | 09.83-01.90 | * |
| S 130.08/R (797) | | Diesel | | 5491 | 96 | 130 | 09.83-01.90 | * |
| S 130.09/B (797) | | Diesel | | 5491 | 96 | 130 | 09.83-01.90 | * |
| S 130.09/B (797) | | Diesel | | 5491 | 96 | 130 | 09.83-01.90 | * |
| S 130.11/B (797) | | Diesel | | 5491 | 96 | 130 | 09.83-01.90 | * |
| S 130.11/B (797) | | Diesel | | 5491 | 96 | 130 | 09.83-01.90 | * |
| S 130.13/B (797) | | Diesel | | 5491 | 96 | 130 | 09.83-01.90 | * |
| S 150.08TI (MIDS 06.02.12 B) | | Diesel | | 5491 | 113 | 154 | 05.86-09.90 | * |
| S 150.08TI/R (MIDS 06.02.12 B) | | Diesel | | 5491 | 113 | 154 | 05.86-09.90 | * |
| S 150.09TI (MIDS 06.02.12 B) | | Diesel | | 5491 | 113 | 154 | 05.86-09.90 | * |
| S 150.09TI (MIDS 06.02.12 B) | | Diesel | | 5491 | 113 | 154 | 05.86-09.90 | * |
| S 150.11TI (MIDS 06.02.12 B) | | Diesel | | 5491 | 113 | 154 | 05.86-09.90 | * |
| S 150.11TI (MIDS 06.02.12 B) | | Diesel | | 5491 | 113 | 154 | 05.86-09.90 | * |
| S 150.11TI (MIDS 06.02.12 B) | | Diesel | | 5491 | 113 | 154 | 05.86-09.90 | * |
| S 150.13TI (MIDS 06.02.12 B) | | Diesel | | 5491 | 113 | 154 | 04.86-09.90 | * |
| S 150.13TI (MIDS 06.02.12 B) | | Diesel | | 5491 | 113 | 154 | 05.86-09.90 | * |
| M 150.09/C (MIDR 06.02.26 U) | | Diesel | | 6174 | 110 | 150 | 11.92-10.96 | * |
| M 150.11/C (MIDR 06.02.26 U) | | Diesel | | 6174 | 110 | 150 | 11.92-10.96 | * |
| M 150.12/C (MIDR 06.02.26 U/4) | | Diesel | | 6174 | 110 | 150 | 11.92-10.96 | * |
| M 150.13/C (MIDR 06.02.26 U) | | Diesel | | 6174 | 110 | 150 | 11.92-10.96 | * |
| M 180.11/C (MIDR 06.02.26 V) | | Diesel | | 6174 | 129 | 175 | 11.92-10.96 | * |
| M 180.12/C (MIDR 06.02.26 V) | | Diesel | | 6174 | 129 | 175 | 11.92-10.96 | * |
| M 180.13/C (MIDR 06.02.26 V) | | Diesel | | 6174 | 129 | 175 | 11.92-10.96 | * |
| M 180.13/C (MIDR 06.02.26 V) | | Diesel | | 6174 | 129 | 175 | 11.92-10.96 | * |
| M 200.10/C (MIDR 06.02.26 H) | | Diesel | | 6178 | 144 | 196 | 05.88-03.93 | * |

LISTA DE APLICACIONES - BUYERS GUIDE

| | | | | | | | | |
|---|--|--------|--|------|------------------------|-----|-------------|---|
| M 200.12/C (MIDR 06.02.26 H) | | Diesel | | 6178 | 144 | 196 | 05.88-03.93 | * |
| M 200.13/C (MIDR 06.02.26 H) | | Diesel | | 6178 | 144 | 196 | 05.88-03.93 | * |
| M 210.12/C (MIDR 06.02.26 W) | | Diesel | | 6180 | 151 | 205 | 05.92-01.00 | * |
| M 210.12/C (MIDR 06.02.26 W/41) | | Diesel | | 6180 | 151 | 205 | 05.92-01.00 | * |
| M 210.13/C (MIDR 06.02.26 W) | | Diesel | | 6180 | 151 | 205 | 05.92-01.00 | * |
| M 210.13/C (MIDR 06.02.26 W/41) | | Diesel | | 6180 | 151 | 205 | 05.92-01.00 | * |
| S 220.11TI (MIDR 06.02.26) | | Diesel | | 6180 | 159 | 216 | 09.87-09.90 | * |
| S 220.11TI (MIDR 06.02.26 D) | | Diesel | | 6180 | 159 | 216 | 09.87-09.90 | * |
| S 220.11TI (MIDR 06.02.26) | | Diesel | | 6180 | 159 | 216 | 09.87-09.90 | * |
| S 220.11TI (MIDR 06.02.26 D) | | Diesel | | 6180 | 159 | 216 | 09.87-09.90 | * |
| S 220.13TI (MIDR 06.02.26) | | Diesel | | 6180 | 159 | 216 | 09.87-09.90 | * |
| S 220.13TI (MIDR 06.02.26 D) | | Diesel | | 6180 | 159 | 216 | 09.87-09.90 | * |
| S 220.14TI (MIDR 06.02.26) | | Diesel | | 6180 | 159 | 216 | 09.87-09.90 | * |
| S 220.14TI (MIDR 06.02.26 D) | | Diesel | | 6180 | 159 | 216 | 09.87-09.90 | * |
| S 220.14TI (MIDR 06.02.26) | | Diesel | | 6180 | 159 | 216 | 09.87-09.90 | * |
| S 220.14TI (MIDR 06.02.26 D) | | Diesel | | 6180 | 159 | 216 | 09.87-09.90 | * |
| M 230.10/C (MIDR 06.02.26 D) | | Diesel | | 6180 | 166 | 226 | 05.89-07.92 | * |
| M 230.10/C (MIDR 06.02.26 S) | | Diesel | | 6180 | 166 | 226 | 05.89-07.92 | * |
| M 230.12/C (MIDR 06.02.26 X) | | Diesel | | 6180 | 166 | 226 | 05.92-10.96 | * |
| M 230.12/D (MIDR 06.02.26 D) | | Diesel | | 6180 | 166 | 226 | 05.89-07.92 | * |
| M 230.12/D (MIDR 06.02.26 S) | | Diesel | | 6180 | 166 | 226 | 05.89-07.92 | * |
| M 230.13/C,M 230.13/D (MIDR 06.02.26 D) | | Diesel | | 6180 | 166 | 226 | 05.89-10.96 | * |
| M 230.13/C,M 230.13/D (MIDR 06.02.26 S) | | Diesel | | 6180 | 166 | 226 | 05.89-10.96 | * |
| M 230.13/C,M 230.13/D (MIDR 06.02.26 X) | | Diesel | | 6180 | 166 | 226 | 05.89-10.96 | * |
| S 150.13 | | Diesel | | 6195 | 110 | 150 | 10.82- | * |
| S 150.14 | | Diesel | | 6195 | 110 | 150 | 10.82- | * |
| Midliner 10.82-01.00 | | | | | Camión volquete | | | |
| S 100.06/A (T 4.38) | | Diesel | | 3869 | 69 | 94 | 01.86-09.90 | * |
| S 100.07/A (T 4.38) | | Diesel | | 3869 | 69 | 94 | 01.86-09.90 | * |
| S 100.08/A (T 4.38) | | Diesel | | 3869 | 69 | 94 | 01.86-09.90 | * |
| S 150.08TI (798-10) | | Diesel | | 5490 | 113 | 154 | 05.83-07.86 | * |
| S 150.09TI (798-10) | | Diesel | | 5490 | 113 | 154 | 05.83-07.86 | * |
| M 160.13/C (MIDS 06.02.12 B) | | Diesel | | 5490 | 117 | 159 | 05.89-03.93 | * |
| S 170.14TI (MIDR 06.02.12 D) | | Diesel | | 5490 | 127 | 173 | 10.83-05.89 | * |
| S 110.08/A (797-21) | | Diesel | | 5491 | 76 | 103 | 06.85-09.90 | * |
| S 130.08/A,S 130.08/B (797) | | Diesel | | 5491 | 96 | 130 | 09.83-01.90 | * |
| S 130.09/B (797) | | Diesel | | 5491 | 96 | 130 | 09.83-01.90 | * |
| S 150.08TI (MIDS 06.02.12 B) | | Diesel | | 5491 | 113 | 154 | 05.86-09.90 | * |
| S 150.09TI (MIDS 06.02.12 B) | | Diesel | | 5491 | 113 | 154 | 05.86-09.90 | * |
| S 150.11TI (MIDS 06.02.12 B) | | Diesel | | 5491 | 113 | 154 | 05.86-09.90 | * |
| S 150.13TI (MIDS 06.02.12 B) | | Diesel | | 5491 | 113 | 154 | 05.86-09.90 | * |
| M 180.13/C (MIDR 06.02.26 V) | | Diesel | | 6174 | 129 | 175 | 11.92-10.96 | * |
| M 200.13/C (MIDR 06.02.26 H) | | Diesel | | 6178 | 144 | 196 | 05.88-03.93 | * |
| M 210.13/C (MIDR 06.02.26 W) | | Diesel | | 6180 | 151 | 205 | 05.92-01.00 | * |
| M 210.13/C (MIDR 06.02.26 W/41) | | Diesel | | 6180 | 151 | 205 | 05.92-01.00 | * |
| S 220.14TI (MIDR 06.02.26) | | Diesel | | 6180 | 159 | 216 | 09.87-09.90 | * |
| S 220.14TI (MIDR 06.02.26 D) | | Diesel | | 6180 | 159 | 216 | 09.87-09.90 | * |
| M 230.13/C (MIDR 06.02.26 X) | | Diesel | | 6180 | 166 | 226 | 05.92-10.96 | * |
| Midliner 10.82-01.00 | | | | | Veh. Municipal | | | |
| S 100.08/A | | Diesel | | 3869 | 69 | 94 | 01.86-09.90 | * |
| S 100.09/A BOM (T 4.38) | | Diesel | | 3869 | 69 | 94 | 01.86-09.90 | * |

LISTA DE APLICACIONES - BUYERS GUIDE

| | | | | | | |
|---------------------------------------|--------|------|-----|-----|-------------|---|
| M 140.12/C (MIDS 06.02.12 C) | Diesel | 5490 | 103 | 140 | 05.89-03.93 | * |
| M 140.13/C (MIDS 06.02.12 C) | Diesel | 5490 | 103 | 140 | 04.89-03.93 | * |
| M 160.12/C (MIDS 06.02.12 B) | Diesel | 5490 | 117 | 159 | 05.89-03.93 | * |
| M 160.13/C (MIDS 06.02.12 B) | Diesel | 5490 | 117 | 159 | 05.89-03.93 | * |
| M 160.14/C CIT (MIDS 06.02.12 B) | Diesel | 5490 | 117 | 159 | 05.89-03.93 | * |
| S 170.13TI (MIDR 06.02.12 D) | Diesel | 5490 | 127 | 173 | 10.83-03.93 | * |
| S 170.13TI,S 170 SP (MIDR 06.02.12 D) | Diesel | 5490 | 127 | 173 | 10.83-03.93 | * |
| S 170.15TI (MIDR 06.02.12 D) | Diesel | 5490 | 127 | 173 | 10.82-09.93 | * |
| S 130.11 (797) | Diesel | 5491 | 96 | 130 | 09.83-01.90 | * |
| S 150.09TI (MIDS 06.02.12 B) | Diesel | 5491 | 113 | 154 | 05.86-09.90 | * |
| S 150.14TI BOM (MIDS 06.02.12 B) | Diesel | 5491 | 113 | 154 | 05.86-09.90 | * |
| M 150.09/C SP (MIDR 06.02.26 U) | Diesel | 6174 | 110 | 150 | 11.92-10.96 | * |
| M 150.11/C SP (MIDR 06.02.26 U) | Diesel | 6174 | 110 | 150 | 11.92-10.96 | * |
| M 150.12/C BTP (MIDR 06.02.26 U) | Diesel | 6174 | 110 | 150 | 11.92-10.96 | * |
| M 150.13/C BTP (MIDR 06.02.26 U) | Diesel | 6174 | 110 | 150 | 11.92-10.96 | * |
| M 180.10/C (MIDR 06.02.26 V) | Diesel | 6174 | 129 | 175 | 11.92-10.96 | * |
| M 180.11/C SP (MIDR 06.02.26 V) | Diesel | 6174 | 129 | 175 | 11.92-10.96 | * |
| M 180.12/C BTP (MIDR 06.02.26 V) | Diesel | 6174 | 129 | 175 | 11.92-10.96 | * |
| M 180.13/C BTP (MIDR 06.02.26 V) | Diesel | 6174 | 129 | 175 | 11.92-10.96 | * |
| M 180.13 SP (MIDR 06.02.26 V) | Diesel | 6174 | 129 | 175 | 11.92-10.96 | * |
| M 210.13/C SP (MIDR 06.02.26 W) | Diesel | 6174 | 151 | 205 | 05.92-10.96 | * |
| M 200.13/C (MIDR 06.02.26 H) | Diesel | 6178 | 144 | 196 | 05.88-03.93 | * |
| M 230.12/D (MIDR 06.02.26 D) | Diesel | 6180 | 166 | 226 | 05.89-07.92 | * |
| M 230.12/D (MIDR 06.02.26 S) | Diesel | 6180 | 166 | 226 | 05.89-07.92 | * |
| M 230.13/D (MIDR 06.02.26 D) | Diesel | 6180 | 166 | 226 | 05.89-07.92 | * |
| M 230.13/D (MIDR 06.02.26 S) | Diesel | 6180 | 166 | 226 | 05.89-07.92 | * |