

LISTA DE APLICACIONES - BUYERS GUIDE

RB0890





8 424073 123961

Qty: 944

Weight: 730

O.E.M.	MAKE
2 701 66	VOLVO
2 701 662	VOLVO
2 714 77	VOLVO
2 714 772	VOLVO
2 717 02	VOLVO
2 717 023	VOLVO
2 717 58	VOLVO
2 717 580	VOLVO
2 717 585	VOLVO
2 718 24	VOLVO
2 718 245	VOLVO
2 719 59	VOLVO
2 719 599	VOLVO
2 719 623	VOLVO
2 724 07	VOLVO
2 724 07 8	VOLVO
2 725 35	VOLVO
2 725 695	VOLVO
2 727 741	VOLVO
2 727 820	VOLVO
2 728 700	VOLVO
2 728 707	VOLVO
2 729 11	VOLVO
2 729 119	VOLVO
8 628 240 7	VOLVO



4x

RB0890



E 9 90R-01110/085

Ate - Teves

61.45x56.35x15

WVA

20755

Sin Filas

FMSI

D541-7422



Trac.

CC

Kw

CV



Front / Rear

VOLVO

140 (145) 08.66-02.75

[CAMBIADO]:Break (Executive car-E Segment)

1.8 S (B 18 A)	Gasolina	RWD	1779	55	75	08.66-07.68	*
1.8 S (B 18 B)	Gasolina	RWD	1780	74	101	08.66-07.68	*
2.0 S (B 20 A)	Gasolina	RWD	1986	60	82	08.68-07.74	*
2.0 S (B 20 D)	Gasolina	RWD	1986	70	95	08.72-07.74	*
2.0 S (B 20 B)	Gasolina	RWD	1986	73	100	08.72-07.73	*
2.0 S (B 20 B)	Gasolina	RWD	1986	74	101	08.72-07.74	*
2.0 S (B 20 E)	Gasolina	RWD	1986	91	124	08.72-07.73	*
2.0 S	Gasolina	RWD	1998	85	116	09.73-02.75	*

140 (142, 144) 08.66-08.75

Sedán (Executive car-E Segment)

1.8 (B 18 A)	Gasolina	RWD	1779	55	75	08.66-07.68	*
1.8 S (B 18 B)	Gasolina	RWD	1780	74	101	07.67-01.72	*
1.8 (B 18 B)	Gasolina	RWD	1780	75	102	09.66-12.68	*
2.0 (B 20 A)	Gasolina	RWD	1986	60	82	08.68-07.74	*
2.0 (B 20 D)	Gasolina	RWD	1986	70	95	08.71-07.72	*
2.0 S (B 20 B)	Gasolina	RWD	1986	74	101	11.68-09.72	*
2.0 (B 20 E)	Gasolina	RWD	1986	88	120	09.68-12.71	*
2.0 (B 20 E)	Gasolina	RWD	1986	91	124	09.70-04.75	*
2.0 S	Gasolina	RWD	1998	85	116	09.72-08.75	*

164 (164) 08.68-04.75

Sedán (Executive car-E Segment)

2.9 E (B 30 A)	Gasolina	RWD	2978	96	131	08.68-07.73	*
3.0 (B 30 F)	Gasolina	RWD	2978	106	144	09.68-12.72	*
3.0 E (B 30 F)	Gasolina	RWD	2978	108	147	09.72-12.74	*

LISTA DE APLICACIONES - BUYERS GUIDE

2.9 (B 30 E)	Gasolina	RWD	2978	118	160	08.72-07.74	*
240 (P242, P244) 08.74-12.93				Sedán (Executive car-E Segment)			
2.1	Gasolina	FWD				09.75-12.79	*
2.1	Gasolina	FWD				09.80-12.84	*
2.1	Gasolina	FWD				09.79-	*
2.0 (B 20 A)	Gasolina	RWD	1986	60	82	08.74-07.76	*
2.0	Gasolina	RWD	1986	60	82	09.74-12.75	*
2.0 (B 19 A)	Gasolina	RWD	1986	66	90	08.76-07.79	*
2.0 (B 19 A)	Gasolina	RWD	1986	71	97	09.78-08.83	*
2.0 (B 19 K)	Gasolina	RWD	1986	71	97	09.78-08.83	*
2.0 (B 19 E)	Gasolina	RWD	1986	74	101	08.84-08.89	*
2.0 (B 200 K)	Gasolina	RWD	1986	76	103	08.84-07.85	*
2.0 (B 19 E)	Gasolina	RWD	1986	82	111	01.90-12.93	*
2.0 (B 200 F)	Gasolina	RWD	1986	82	111	01.90-12.93	*
2.0 (B 200 E)	Gasolina	RWD	1986	89	121	09.84-12.93	*
2.0 (B 19 ET)	Gasolina	RWD	1986	100	136	10.82-08.84	*
2.1 (B 21 A)	Gasolina	RWD	2127	71	97	08.74-07.75	*
2.1 (B 21 A)	Gasolina	RWD	2127	72	98	09.83-12.84	*
2.1 (B 21 A)	Gasolina	RWD	2127	74	100	08.75-07.80	*
2.1	Gasolina	RWD	2127	76	102	09.75-12.77	*
2.1 (B 21 A)	Gasolina	RWD	2127	78	106	01.83-12.84	*
2.1 (B 21 A)	Gasolina	RWD	2127	79	107	08.80-07.84	*
2.1 (B 21 E)	Gasolina	RWD	2127	90	122	08.74-09.83	*
2.1 Turbo (B 21 ET)	Gasolina	RWD	2127	114	155	08.80-07.84	*
2.3 (B 230 F)	Gasolina	RWD	2315	83	113	08.86-07.87	*
2.3 (B 230 A)	Gasolina	RWD	2316	81	110	08.84-07.86	*
2.3 (B 23 A)	Gasolina	RWD	2316	82	112	08.80-07.84	*
2.3 (B 230 K)	Gasolina	RWD	2316	85	115	08.86-12.88	*
2.3 i Cat (B 230 F)	Gasolina	RWD	2316	85	115	08.86-07.93	*
2.3 (B 230 E)	Gasolina	RWD	2316	96	131	08.83-07.85	*
2.3 (B 23 E)	Gasolina	RWD	2316	98	133	08.84-12.89	*
2.3 (B 23 E)	Gasolina	RWD	2316	100	136	08.80-07.83	*
2.3 (B 23 F)	Gasolina	RWD	2316	100	136	08.80-07.83	*
2.3 (B 23 E)	Gasolina	RWD	2316	103	140	08.78-12.82	*
2.7 GLT6 (B 27 E)	Gasolina	RWD	2664	104	141	08.79-07.80	*
2.8 (B 28 E)	Gasolina	RWD	2849	114	155	10.82-09.84	*
2.4 Diesel (D 24)	Diesel	RWD	2383	58	79	08.87-08.93	*
2.4 Diesel (D 24)	Diesel	RWD	2383	60	82	08.78-07.85	*
240 Kombi (P245) 08.74-12.93				[CAMBIADO]-Break (Executive car-E Segment)			
2.0 (B 20 A)	Gasolina	RWD	1986	60	82	08.74-07.75	*
2.0 (B 19 A)	Gasolina	RWD	1986	66	90	08.76-01.82	*
2.0 (B 19 A)	Gasolina	RWD	1986	71	97	08.80-12.84	*
2.0 (B 19 K)	Gasolina	RWD	1986	71	97	08.80-12.84	*
2.0 (B 200 K)	Gasolina	RWD	1986	76	103	08.84-07.85	*
2.0 (B 200 F)	Gasolina	RWD	1986	82	111	09.88-12.93	*
2.0 (B 200 E)	Gasolina	RWD	1986	86	117	08.83-07.93	*
2.0 (B 19 ET)	Gasolina	RWD	1986	100	136	10.82-08.84	*
2.0 T (B 19 ET)	Gasolina	RWD	1986	106	144	08.83-05.93	*
2.1 (B 21 A)	Gasolina	RWD	2127	71	97	08.74-07.75	*
2.1 (B 21 A)	Gasolina	RWD	2127	74	100	08.75-07.80	*

LISTA DE APLICACIONES - BUYERS GUIDE

2.1 (B 21 A)		Gasolina	RWD	2127	79	107	08.80-07.84	*
2.1 (B 21 F)		Gasolina	RWD	2127	80	109	08.80-07.84	*
2.1		Gasolina	FWD	2127	86	117	01.77-08.78	*
2.1 (B 21 E)		Gasolina	RWD	2127	90	122	08.74-09.83	*
2.1 Turbo (B 21 ET)		Gasolina	RWD	2127	114	155	08.80-07.85	*
2.3 (B 230 A)		Gasolina	RWD	2316	81	110	08.84-07.86	*
2.3 (B 23 A)		Gasolina	RWD	2316	82	112	08.80-07.84	*
2.3 (B 230 F)		Gasolina	RWD	2316	83	113	08.86-07.87	*
2.3 (B 230 K)		Gasolina	RWD	2316	85	115	08.86-12.88	*
2.3 i Cat (B 230 F)		Gasolina	RWD	2316	85	115	08.86-07.93	*
2.3 (B 230 E)		Gasolina	RWD	2316	96	131	08.84-07.85	*
2.3 (B 23 E)		Gasolina	RWD	2316	98	133	08.84-12.88	*
2.3 (B 23 E)		Gasolina	RWD	2316	100	136	08.80-12.84	*
2.3 Cat (B 230 F)		Gasolina	RWD	2316	100	136	08.91-07.92	*
2.7 GLT6 (B 27 E)		Gasolina	RWD	2664	104	141	08.79-07.80	*
2.8 (B 28 A)		Gasolina	RWD	2849	95	129	10.81-09.82	*
2.8 (B 28 E)		Gasolina	RWD	2849	114	155	10.80-09.82	*
2.0 D (D 20)		Diesel	RWD	1985	50	68	09.78-10.80	*
2.4 Diesel (D 24)		Diesel	RWD	2383	58	79	08.88-08.93	*
2.4 Diesel (D 24)		Diesel	RWD	2383	60	82	04.79-08.93	*
260 (P265) 07.75-07.82					[CAMBIADO]:Break (Executive car-E Segment)			
2.7 (B 27 A)		Gasolina	RWD	2664	92	125	08.75-07.77	*
2.7 (B 27 E)		Gasolina	RWD	2664	103	140	07.75-07.82	*
2.7 (B 27 F)		Gasolina	RWD	2664	109	148	10.78-07.82	*
2.8 (B 28 F)		Gasolina	RWD	2849	114	155	08.80-07.82	*
260 (P262) 09.75-12.85					Coupé (Executive car-E Segment)			
2.7 (B 27 E)		Gasolina	RWD	2664	103	140	08.77-07.78	*
2.8 (B 28 F)		Gasolina	RWD	2849	114	155	09.79-12.81	*
260 (P262, P264) 08.74-07.82					Sedán (Executive car-E Segment)			
2.7 (B 27 A)		Gasolina	RWD	2664	92	125	08.76-07.82	*
2.7 (B 27 E)		Gasolina	RWD	2664	103	140	08.74-07.80	*
2.7 (B 27 E)		Gasolina	RWD	2664	109	148	08.78-07.82	*
2.7 (B 27 F)		Gasolina	RWD	2664	109	148	08.78-07.82	*
2.8 (B 28 A)		Gasolina	RWD	2849	95	129	08.80-07.82	*
2.8 (B 28 E)		Gasolina	RWD	2849	114	155	08.80-07.82	*
740 (744) 04.83-12.92					Sedán (Executive car-E Segment)			
2.0 (B 200 K)		Gasolina	RWD	1986	76	103	09.88-08.90	*
2.0 (B 200 F)		Gasolina	RWD	1986	82	111	09.90-08.92	*
2.0 GLE (B 19 E)		Gasolina	RWD	1986	85	116	04.83-07.84	*
2.0 (B 200 E)		Gasolina	RWD	1986	86	117	01.87-08.88	*
2.0 (B 200 G)		Gasolina	RWD	1986	89	121	08.85-07.92	*
2.0 GLE (B 204 E)		Gasolina	RWD	1986	103	140	09.87-08.90	*
2.0 (B 19 ET)		Gasolina	RWD	1986	110	150	12.83-07.84	*
2.0 Turbo (B 200 FT)		Gasolina	RWD	1986	114	155	09.90-08.91	*
2.0 (B 200 ET)		Gasolina	RWD	1986	118	160	01.86-08.90	*
2.0 (B 200 ET)		Gasolina	RWD	1986	120	163	01.85-12.85	*
2.0 (B 204 FTE)		Gasolina	RWD	1986	147	200	09.90-08.92	*
2.3 (B 230 F)		Gasolina	RWD	2315	83	113	09.85-12.89	*
2.3 (B 230 A)		Gasolina	RWD	2316	82	112	08.84-07.86	*
2.3 (B 23 A)		Gasolina	RWD	2316	84	114	08.84-07.90	*

LISTA DE APLICACIONES - BUYERS GUIDE

2.3 (B 230 F)	Gasolina	RWD	2316	84	114	08.84-07.90	*
2.3 (B 230 F)	Gasolina	RWD	2316	85	115	08.87-07.92	*
2.3 (B 230 K)	Gasolina	RWD	2316	86	117	10.84-07.88	*
2.3 (B 23 E)	Gasolina	RWD	2316	95	129	08.83-07.84	*
2.3 (B 230 E)	Gasolina	RWD	2316	96	131	08.84-12.92	*
2.3 (B 230 FB)	Gasolina	RWD	2316	96	131	08.84-12.92	*
2.3	Gasolina	RWD	2316	96	131	07.90-12.92	*
2.3 GLE (B 23 E)	Gasolina	RWD	2316	103	140	08.84-12.85	*
2.3 (B 234 F)	Gasolina	RWD	2316	111	151	08.88-08.92	*
2.3 (B 234 F)	Gasolina	RWD	2316	114	156	08.88-07.91	*
2.3 Turbo (B 230 FT)	Gasolina	RWD	2316	115	156	08.86-07.89	*
2.3 (B 234 F)	Gasolina	RWD	2316	117	159	08.87-07.89	*
2.3 Turbo (B 230 FT)	Gasolina	RWD	2316	121	165	08.89-07.90	*
2.3 Turbo (B 230 FT)	Gasolina	RWD	2316	125	170	09.89-08.91	*
2.3 Turbo (B 230 GT)	Gasolina	RWD	2316	125	170	09.89-08.91	*
2.3 Turbo (B 230 ET)	Gasolina	RWD	2316	134	182	08.85-12.88	*
2.3 Turbo (B 230 FT)	Gasolina	RWD	2316	140	190	08.89-07.90	*
2.4 Diesel (D 24)	Diesel	RWD	2383	60	82	08.84-07.92	*
2.4 TD (D 24 T)	Diesel	RWD	2383	80	109	08.85-12.90	*
2.4 TD (D 24 T)	Diesel	RWD	2383	83	113	08.84-07.90	*
2.4 TD (D 24 TIC)	Diesel	RWD	2383	90	122	08.86-10.88	*
740 Kombi (745) 08.84-12.92				[CAMBIADO]:Break (Executive car-E Segment)			
2.0 (B 200 K)	Gasolina	RWD	1986	76	103	09.88-08.90	*
2.0 (B 200 F)	Gasolina	RWD	1986	82	112	08.89-07.91	*
2.0 (B 200 E)	Gasolina	RWD	1986	86	117	01.87-08.88	*
2.0 (B 200 E)	Gasolina	RWD	1986	89	121	08.85-07.92	*
2.0 (B 200 G)	Gasolina	RWD	1986	89	121	08.85-07.92	*
2.0 16V (B 204 E)	Gasolina	RWD	1986	100	136	09.87-08.90	*
2.0 GLE	Gasolina	FWD	1986	103	140	09.87-08.90	*
2.0 Turbo (B 200 FT)	Gasolina	RWD	1986	114	155	09.90-08.91	*
2.0 Turbo (B 200 ET)	Gasolina	RWD	1986	115	156	09.87-08.90	*
2.0 Turbo (B 200 ET)	Gasolina	RWD	1986	118	160	05.85-08.87	*
2.0 Turbo (B 200 ET)	Gasolina	RWD	1986	121	165	05.85-08.87	*
2.0 (B 204 FTE)	Gasolina	RWD	1986	147	200	09.90-08.92	*
2.3 (B 230 A)	Gasolina	RWD	2316	82	112	08.85-07.86	*
2.3 (B 230 F)	Gasolina	RWD	2316	83	113	08.85-12.89	*
2.3 (B 230 K)	Gasolina	RWD	2316	84	114	09.85-07.90	*
2.3 (B 230 F)	Gasolina	RWD	2316	85	115	08.87-07.92	*
2.3 (B 230 F)	Gasolina	RWD	2316	87	118	01.88-10.90	*
2.3 GL	Gasolina	FWD	2316	89	121	08.84-08.87	*
2.3 (B 230 E)	Gasolina	RWD	2316	96	131	08.85-07.88	*
2.3 (B 230 FB)	Gasolina	RWD	2316	96	131	07.90-12.92	*
2.3 GLE	Gasolina	FWD	2316	103	140	08.84-08.87	*
2.3 (B 234 F)	Gasolina	RWD	2316	111	151	07.89-08.92	*
2.3 (B 234 F)	Gasolina	RWD	2316	114	156	08.88-07.90	*
2.3 Turbo (B 230 FT)	Gasolina	RWD	2316	115	156	08.86-07.89	*
2.3 (B 234 F)	Gasolina	RWD	2316	117	159	08.87-07.89	*
2.3 Turbo (B 230 FT)	Gasolina	RWD	2316	121	165	08.89-07.90	*
2.3 Turbo (B 230 GT)	Gasolina	RWD	2316	121	165	08.89-07.90	*
2.3 Turbo (B 230 FT)	Gasolina	RWD	2316	125	170	09.89-08.91	*
2.3 Turbo (B 230 GT)	Gasolina	RWD	2316	125	170	09.89-08.91	*

LISTA DE APLICACIONES - BUYERS GUIDE

2.3 Turbo (B 230 ET)		Gasolina	RWD	2316	134	182	08.85-07.88	*
2.3 Turbo (B 230 FT)		Gasolina	RWD	2316	140	190	08.89-07.90	*
2.8 i		Gasolina	FWD	2795	96	130	08.84-	*
2.8 i		Gasolina	FWD	2795	96	130	08.84-	*
2.8 i		Gasolina	FWD	2795	96	130	08.84-	*
2.8 i		Gasolina	FWD	2795	96	130	08.84-	*
2.4 Diesel (D 24)		Diesel	RWD	2383	60	82	08.85-07.88	*
2.4 Turbo-Diesel (D 24 T)		Diesel	RWD	2383	80	109	09.85-07.92	*
2.4 TD Interc. (D 24 TIC)		Diesel	RWD	2383	90	122	08.86-07.88	*
760 (704, 764) 08.81-07.92					Sedán (Executive car-E Segment)			
2.3 (B 230 K)		Gasolina	RWD	2316	84	114	08.84-08.87	*
2.3 Turbo (B 230 FT)		Gasolina	RWD	2316	115	156	09.87-08.90	*
2.3 (B 230 FT)		Gasolina	RWD	2316	121	165	01.88-07.92	*
2.3 (B 23 ET)		Gasolina	RWD	2316	127	173	01.84-03.86	*
2.3 Turbo (B 23 ET)		Gasolina	RWD	2316	127	173	08.82-07.84	*
2.3 (B 230 ET)		Gasolina	RWD	2316	130	176	08.84-08.87	*
2.3 Turbo (B 230 ET)		Gasolina	RWD	2316	134	182	08.84-10.88	*
2.8 (B 28 A)		Gasolina	RWD	2849	95	130	01.82-12.87	*
2.8 (B 280 F)		Gasolina	RWD	2849	105	143	05.86-08.91	*
2.8 (764) (B 280 F)		Gasolina	RWD	2849	108	147	08.86-07.90	*
2.8 (B 28 E)		Gasolina	RWD	2849	115	156	08.81-07.88	*
2.8 (B 280 E)		Gasolina	RWD	2849	115	156	08.81-07.88	*
2.8 (B 280 E)		Gasolina	RWD	2849	125	170	09.87-08.90	*
2.4 D		Diesel	RWD	2383	60	82	01.82-07.92	*
2.4 Turbo Diesel (D 24 T)		Diesel	RWD	2383	80	109	04.87-07.92	*
2.4 Turbo Diesel (D 24 T)		Diesel	RWD	2383	82	112	08.82-07.87	*
2.4 TD Interc. (D 24 TIC)		Diesel	RWD	2383	85	115	08.87-07.92	*
2.4 TDiC		Diesel	RWD	2383	90	122	09.87-08.90	*
760 Kombi (704, 765) 01.82-07.92					[CAMBIADO]:Break (Executive car-E Segment)			
2.3 (B 230 K)		Gasolina	RWD	2316	84	114	08.84-08.87	*
2.3 Turbo (B 230 FT)		Gasolina	RWD	2316	115	156	09.87-08.90	*
2.3 (B 230 FT)		Gasolina	RWD	2316	121	165	09.83-12.90	*
2.3 Turbo (B 230 ET)		Gasolina	RWD	2316	134	182	08.84-08.90	*
2.8 (765) (B 28 A)		Gasolina	RWD	2849	95	130	05.86-12.87	*
2.8 (765) (B 280 F)		Gasolina	RWD	2849	105	143	05.86-08.91	*
2.8 (B 280 E)		Gasolina	RWD	2849	112	152	09.86-10.88	*
2.8 (765) (B 28 E)		Gasolina	RWD	2849	115	156	08.86-08.90	*
2.8 (765) (B 280 E)		Gasolina	RWD	2849	115	156	08.86-08.90	*
2.8 (B 280 E)		Gasolina	RWD	2849	125	170	08.84-08.90	*
2.4 D (D 24)		Diesel	RWD	2383	60	82	01.82-07.92	*
2.4 TD (D 24 T)		Diesel	RWD	2383	80	109	04.83-10.89	*
2.4 TD Interc. (765) (D 24 TIC)		Diesel	RWD	2383	85	116	08.87-07.92	*
2.4 TDiC		Diesel	RWD	2383	90	122	09.87-08.90	*
780 (782) 04.86-11.90					Coupé (Executive car-E Segment)			
2.0 i 16V Turbo		Gasolina	FWD	1995	89	121	04.86-07.90	*
2.3		Gasolina	FWD	2316	138	188	04.86-11.90	*
2.8 i 16V Turbo USA		Gasolina	FWD	2795	108	147	04.86-07.90	*
2.9 (B 280 F)		Gasolina	RWD	2849	108	147	08.87-07.90	*
2.9 (B 280 E)		Gasolina	RWD	2849	115	156	08.86-07.87	*
2.4 D (D 24 TIC)		Diesel	RWD	2383	90	122	04.86-07.90	*

LISTA DE APLICACIONES - BUYERS GUIDE

850 (855) 04.92-10.97					[CAMBIADO]:Break (Compact executive car-D Segment)			
2.0 (B 5202 S)		Gasolina	FWD	1984	93	126	08.94-12.96	*
2.0 (B 5204 FS)		Gasolina	FWD	1984	105	143	02.93-12.96	*
2.0 Turbo (B 5204 T2)		Gasolina	FWD	1984	132	180	09.93-10.97	*
2.0 Turbo (B 5204 FT)		Gasolina	FWD	1984	155	210	02.93-12.96	*
2.0 Turbo (B 5204 T)		Gasolina	FWD	1984	155	210	02.93-12.96	*
2.3		Gasolina	FWD	2319	106	144	01.96-10.96	*
T5 (B 5234 FT)		Gasolina	FWD	2319	166	226	02.93-12.96	*
2.3 Turbo		Gasolina	FWD	2319	170	231	09.93-12.94	*
T5 R (B 5234 T2)		Gasolina	FWD	2319	176	239	04.96-10.96	*
2.3 Turbo R (B 5234 T5)		Gasolina	FWD	2319	177	241	06.95-10.97	*
2.3 Turbo R (B 5234 T5)		Gasolina	FWD	2319	179	243	09.94-10.97	*
T5-R (B 5234 T4)		Gasolina	FWD	2319	184	250	08.95-12.96	*
2.4 (B 5252)		Gasolina	FWD	2435	103	140	08.92-07.94	*
2.4		Gasolina	FWD	2435	104	141	09.93-12.94	*
2.4 (B 5252 FS)		Gasolina	FWD	2435	106	144	08.94-12.96	*
2.4 (B 5254 S)		Gasolina	FWD	2435	125	170	09.92-12.96	*
2.4 AWD (B 5254 T)		Gasolina	4WD	2435	142	193	04.96-10.97	*
2.4 GLE (B 5254 T)		Gasolina	FWD	2435	142	193	09.93-10.97	*
2.5 TDI (D 5252 T)		Diesel	FWD	2460	103	140	08.95-12.96	*
850 (854) 06.91-10.97					Sedán (Compact executive car-D Segment)			
2.0 (B 5202 S)		Gasolina	FWD	1984	93	126	08.94-12.96	*
2.0 (B 5204 FS)		Gasolina	FWD	1984	105	143	06.91-12.96	*
2.0 Turbo (B 5204 T2)		Gasolina	FWD	1984	132	179	09.93-10.96	*
2.0 Turbo (B 5204 FT)		Gasolina	FWD	1984	155	210	08.93-12.96	*
2.0 Turbo (B 5204 T)		Gasolina	FWD	1984	155	210	08.93-12.96	*
2.3		Gasolina	FWD	2319	106	144	01.96-10.96	*
T5 (B 5234 FT)		Gasolina	FWD	2319	166	226	08.93-07.96	*
2.3 Turbo		Gasolina	FWD	2319	170	231	09.93-12.94	*
T5 R (B 5234 T2)		Gasolina	FWD	2319	176	239	04.96-10.96	*
2.3 Turbo R (B 5234 T5)		Gasolina	FWD	2319	177	241	06.95-10.96	*
2.3 Turbo R (B 5234 T5)		Gasolina	FWD	2319	179	243	09.94-10.97	*
T5-R (B 5234 T4)		Gasolina	FWD	2319	184	250	08.95-12.96	*
2.4 (B 5252)		Gasolina	FWD	2435	103	140	06.91-07.94	*
2.4 (B 5252 FS)		Gasolina	FWD	2435	106	144	08.94-12.96	*
2.4 (B 5254 S)		Gasolina	FWD	2435	125	170	08.91-12.96	*
2.4 GLE (B 5254 T)		Gasolina	FWD	2435	142	193	09.93-10.97	*
2.5 TDI (D 5252 T)		Diesel	FWD	2460	103	140	08.95-12.96	*
940 (945) 09.90-10.98					[CAMBIADO]:Break (Executive car-E Segment)			
2.0 (B 200 G)		Gasolina	RWD	1986	89	121	11.94-12.95	*
2.0 (B 204 FT)		Gasolina	RWD	1986	102	139	10.94-05.97	*
2.0 Turbo (B 200 FT)		Gasolina	RWD	1986	114	155	04.96-10.98	*
2.0 GLT (B 200 GT)		Gasolina	RWD	1986	139	189	10.94-05.97	*
2.3 (B 230 FD)		Gasolina	RWD	2316	85	116	08.94-07.95	*
2.3 (B 230 FB)		Gasolina	RWD	2316	96	131	08.94-10.98	*
2.3 ti (B 230 FK)		Gasolina	RWD	2316	99	135	01.95-10.98	*
2.3		Gasolina	FWD	2316	113	154	10.94-05.97	*
2.3 Turbo (B 230 FT)		Gasolina	RWD	2316	121	165	08.94-10.98	*
2.3 Turbo (B 230 FT)		Gasolina	RWD	2316	126	171	08.95-10.98	*
2.4 TD Interc. (D 24 TIC)		Diesel	RWD	2383	90	122	08.94-10.98	*

LISTA DE APLICACIONES - BUYERS GUIDE

940 (944) 08.90-03.95					Sedán (Executive car-E Segment)			
2.0 (B 200 F)	Gasolina	RWD	1986	82	112	01.92-07.94	*	
2.0 (B 200 E)	Gasolina	RWD	1986	89	121	09.90-09.93	*	
2.0 (B 200 G)	Gasolina	RWD	1986	89	121	09.90-09.93	*	
2.0 (B 200 G)	Gasolina	RWD	1986	89	121	11.94-12.95	*	
2.0 (B 204 FT)	Gasolina	RWD	1986	102	139	09.90-09.93	*	
2.0 (B 204 FT)	Gasolina	RWD	1986	102	139	10.94-05.97	*	
2.0 GL (B 204 E)	Gasolina	RWD	1986	103	140	09.90-04.92	*	
2.0 Turbo (B 200 FT)	Gasolina	RWD	1986	114	155	08.90-12.94	*	
2.0 Turbo (B 200 FT)	Gasolina	RWD	1986	114	155	04.96-10.98	*	
2.0 GLT (B 200 GT)	Gasolina	RWD	1986	139	189	10.94-05.97	*	
2.3 (B 230 FD)	Gasolina	RWD	2316	85	116	08.92-07.94	*	
2.3 (B 230 FD)	Gasolina	RWD	2316	85	116	08.94-07.95	*	
2.3 (B 230 FB)	Gasolina	RWD	2316	96	131	08.90-12.94	*	
2.3 (B 230 G)	Gasolina	RWD	2316	96	131	08.90-12.94	*	
2.3 (B 230 FB)	Gasolina	RWD	2316	96	131	08.94-10.98	*	
2.3 (B 230 FK)	Gasolina	RWD	2316	99	135	05.91-03.95	*	
2.3 ti (B 230 FK)	Gasolina	RWD	2316	99	135	01.95-10.98	*	
2.3	Gasolina	FWD	2316	113	154	10.94-05.97	*	
2.3 (B 234 F)	Gasolina	RWD	2316	114	156	08.90-07.91	*	
2.3 (B 234 G)	Gasolina	RWD	2316	114	156	08.90-07.91	*	
2.3 (B 230 FT)	Gasolina	RWD	2316	118	160	09.90-09.93	*	
2.3 Turbo (B 230 FT)	Gasolina	RWD	2316	121	165	08.90-07.94	*	
2.3 Turbo (B 230 FT)	Gasolina	RWD	2316	121	165	08.94-10.98	*	
2.3 Turbo (B 230 FT)	Gasolina	RWD	2316	126	171	01.95-12.98	*	
2.3 Turbo (B 230 FT+)	Gasolina	RWD	2316	140	190	08.91-07.93	*	
2.4 D (D 24)	Diesel	RWD	2383	60	82	08.90-12.94	*	
2.4 Turbo Diesel (D 24 T)	Diesel	RWD	2383	80	109	08.90-12.94	*	
2.4 TD Interc. (D 24 TIC)	Diesel	RWD	2383	90	122	08.94-10.98	*	
2.4 TD Intercooler (D 24 TIC)	Diesel	RWD	2383	90	122	08.90-12.94	*	
940 Kombi (945) 08.90-10.95					[CAMBIADO]:Break (Executive car-E Segment)			
2.0 (B 200 F)	Gasolina	RWD	1986	82	112	01.92-07.94	*	
2.0	Gasolina	FWD	1986	89	121	09.90-09.93	*	
2.0 GL (B 204 E)	Gasolina	RWD	1986	103	140	09.90-04.92	*	
2.0 Turbo (B 200 FT)	Gasolina	RWD	1986	114	155	01.91-07.95	*	
2.3 (B 230 FD)	Gasolina	RWD	2316	85	116	08.92-07.94	*	
2.3 (B 230 FB)	Gasolina	RWD	2316	96	131	08.90-12.94	*	
2.3 (B 234 F)	Gasolina	RWD	2316	114	155	08.90-07.91	*	
2.3 (B 230 FB)	Gasolina	RWD	2316	118	160	09.90-09.93	*	
2.3 Turbo (B 230 FT)	Gasolina	RWD	2316	121	165	08.90-07.94	*	
2.3 Turbo (B 230 FT+)	Gasolina	RWD	2316	140	190	08.91-07.93	*	
2.4 D (D 24)	Diesel	RWD	2383	60	82	08.90-07.95	*	
2.4 Turbo Diesel (D 24 T)	Diesel	RWD	2383	80	109	08.90-07.94	*	
2.4 TD Intercooler (D 24 TIC)	Diesel	RWD	2383	90	122	08.90-08.94	*	
2.4 TD	Diesel	RWD	2383	95	130	05.91-03.95	*	
960 (965) 07.94-12.96					[CAMBIADO]:Break (Executive car-E Segment)			
2.5 (B 6254 S)	Gasolina	RWD	2473	125	170	08.94-12.96	*	
2.9	Gasolina	FWD	2922	135	184	07.94-12.97	*	
2.9 (B 6304 S)	Gasolina	RWD	2922	150	204	09.94-12.96	*	

LISTA DE APLICACIONES - BUYERS GUIDE

960 (964) 08.90-07.94					Sedán (Executive car-E Segment)			
2.0 (B 200 F)		Gasolina	RWD	1986	82	111	09.90-09.93	*
2.0 (B 204 E)		Gasolina	RWD	1986	103	140	09.90-08.93	*
2.0 (B 204 FT)		Gasolina	RWD	1986	140	190	08.90-09.93	*
2.3 Turbo (B 230 FT)		Gasolina	RWD	2316	121	165	09.90-08.93	*
2.5 (B 6254 S)		Gasolina	RWD	2473	125	170	07.94-12.96	*
2.8 GL (B 280 F)		Gasolina	RWD	2849	108	147	09.90-05.92	*
2.9		Gasolina	FWD	2922	135	184	07.94-12.97	*
2.9 (B 6304 F)		Gasolina	RWD	2922	150	204	08.90-07.94	*
2.9 (B 6304 FS)		Gasolina	RWD	2922	150	204	08.90-07.94	*
2.9 (B 6304 GS)		Gasolina	RWD	2922	150	204	08.90-07.94	*
2.9 (B 6304 S)		Gasolina	RWD	2922	150	204	07.94-12.96	*
2.4 TD Interc. (D 24 TIC)		Diesel	RWD	2383	85	115	09.91-07.94	*
960 Kombi (965) 08.90-07.94					[CAMBIADO]-Break (Executive car-E Segment)			
2.0 (B 204 E)		Gasolina	RWD	1986	103	140	09.90-08.93	*
2.0 (B 204 FT)		Gasolina	RWD	1986	140	190	08.90-09.93	*
2.3 Turbo (B 230 FT)		Gasolina	RWD	2316	121	165	09.90-08.93	*
2.8 (B 280 F)		Gasolina	RWD	2849	108	147	09.90-05.92	*
2.9 (B 6304 F)		Gasolina	RWD	2922	150	204	08.90-07.94	*
2.9 (B 6304 S)		Gasolina	RWD	2922	150	204	08.90-07.94	*
2.4 TD Interc. (D 24 TIC)		Diesel	RWD	2383	85	115	09.91-07.94	*
2.4 TDi (D 24 TIC)		Diesel	RWD	2383	90	122	09.90-08.93	*
C70 (873) 03.98-10.05					Cabrio (Pony car-F Segment)			
2.0 T (B 5204 T4)		Gasolina	FWD	1984	120	163	03.00-10.05	*
2.0 (B 5204 T2)		Gasolina	FWD	1984	132	180	03.98-10.05	*
2.0 T (B 5204 T3)		Gasolina	FWD	1984	166	226	03.98-10.05	*
2.3 (B 5234 T3)		Gasolina	FWD	2319	147	200	09.02-12.03	*
T5 (B 5234 T3)		Gasolina	FWD	2319	176	239	03.98-10.05	*
T5 (B 5234 T9)		Gasolina	FWD	2319	180	245	07.02-10.05	*
2.4 (B 5254 S)		Gasolina	FWD	2435	125	170	06.98-10.05	*
2.4 T (B 5244 T)		Gasolina	FWD	2435	142	193	03.98-10.05	*
2.4 T (B 5254 T)		Gasolina	FWD	2435	142	193	03.98-10.05	*
2.4 T (B 5244 T7)		Gasolina	FWD	2435	147	200	07.02-10.05	*
C70 (872) 03.97-09.02					Coupé (Pony car-F Segment)			
2.0 T (B 5204 T4)		Gasolina	FWD	1984	120	163	03.00-09.02	*
2.0 (B 5204 T2)		Gasolina	FWD	1984	132	180	03.97-09.02	*
2.0 T (B 5204 T3)		Gasolina	FWD	1984	166	226	03.97-09.02	*
T-5 (B 5234 T3)		Gasolina	FWD	2319	176	240	03.97-09.02	*
2.4 (B 5254 S)		Gasolina	FWD	2435	121	165	03.99-09.02	*
2.4 (B 5244 S)		Gasolina	FWD	2435	125	170	05.99-09.02	*
2.4 (B 5254 S)		Gasolina	FWD	2435	125	170	05.99-09.02	*
2.4 T (B 5244 T)		Gasolina	FWD	2435	142	193	03.97-09.02	*
2.4 T (B 5254 T)		Gasolina	FWD	2435	142	193	03.97-09.02	*
S70 (874) 11.96-11.00					Sedán (Compact executive car-D Segment)			
2.0 (B 5202 FS)		Gasolina	FWD	1984	93	126	01.97-11.00	*
2.0 (B 5202 S)		Gasolina	FWD	1984	93	126	01.97-11.00	*
2.0 (B 5204 F)		Gasolina	FWD	1984	105	143	01.97-11.00	*
2.0 (B 5204 T4)		Gasolina	FWD	1984	120	163	01.97-11.00	*
2.0 (B 5204 T2)		Gasolina	FWD	1984	132	180	01.97-11.00	*

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 Turbo (B 5204 T)	Gasolina	FWD	1984	155	210	01.97-11.00	*
2.0 Turbo (B 5204 T3)	Gasolina	FWD	1984	166	226	01.97-11.00	*
2.3 T5 R	Gasolina	FWD	2319	176	239	11.96-09.98	*
T5 (B 5234 T3)	Gasolina	FWD	2319	176	239	01.97-11.00	*
2.3 (B 5234 T3)	Gasolina	FWD	2319	177	241	11.96-11.00	*
2.3 T5 AWD (B 5234 T3)	Gasolina	4WD	2319	177	241	11.96-09.98	*
2.3 T5	Gasolina	FWD	2319	184	250	07.97-09.00	*
2.3 Turbo (B 5234 T4)	Gasolina	FWD	2319	184	250	01.97-11.00	*
2.3	Gasolina	FWD	2319	195	265	04.99-09.00	*
2.3 (B 5234 T7)	Gasolina	FWD	2319	195	265	04.99-09.00	*
2.4 (B 5244 S2)	Gasolina	FWD	2435	103	140	08.99-11.00	*
2.4 (B 5244 SG)	Gasolina	FWD	2435	103	140	08.99-11.00	*
2.4 AWD (B 5244 S2)	Gasolina	4WD	2435	103	140	04.99-09.00	*
2.4 (B 5252 FS)	Gasolina	FWD	2435	106	144	01.97-11.00	*
2.4 AWD (B 5252 FS)	Gasolina	4WD	2435	106	144	11.96-05.99	*
2.4 (B 5254 S)	Gasolina	FWD	2435	121	165	06.98-11.00	*
2.4 AWD (B 5254 S)	Gasolina	4WD	2435	121	165	10.98-05.99	*
2.4 (B 5244 S)	Gasolina	FWD	2435	125	170	01.97-11.00	*
2.4 (B 5254 S)	Gasolina	FWD	2435	125	170	01.97-11.00	*
2.4 AWD (B 5244 S)	Gasolina	4WD	2435	125	170	04.99-09.00	*
2.4 T5 AWD (B 5254 T)	Gasolina	4WD	2435	142	193	11.96-04.99	*
2.4 Turbo (B 5244 T)	Gasolina	FWD	2435	142	193	01.97-11.00	*
2.4 Turbo (B 5254 T)	Gasolina	FWD	2435	142	193	01.97-11.00	*
2.4 Bifuel (B 5244 SG)	Gasol./Gas (CNG)	FWD	2435	103	140	07.99-11.00	*
2.4 Blu-Fuel (B 5244 S2)	Gasol./Gas (CNG)	FWD	2435	103	140	07.97-09.00	*
2.4 Blu-Fuel (B 5244 SG)	Gasol./Gas (CNG)	FWD	2435	103	140	07.97-09.00	*
2.4 Bifuel (GB 5252 S)	Gasol./Gas (CNG)	FWD	2435	106	144	10.98-11.00	*
2.5 TDI (D 5252 T)	Diesel	FWD	2460	103	140	01.97-11.00	*
2.5 TDi AWD (D 5252 T)	Diesel	4WD	2460	103	140	10.99-09.00	*
S90 (964) 11.96-12.98				Sedán (Executive car-E Segment)			
2.5 (B 6254 FS)	Gasolina	RWD	2473	125	170	11.96-10.98	*
2.5 (B 6244 FS)	Gasolina	RWD	2473	132	179	11.96-10.97	*
2.9 (B 6304 S2)	Gasolina	RWD	2922	132	180	01.97-05.98	*
2.9 (B 6304 GS)	Gasolina	RWD	2922	150	204	01.97-05.98	*
V70 (875, 876) 12.95-12.00				[CAMBIADO]:Break (Executive car-E Segment)			
2.0 (B 5202 FS)	Gasolina	FWD	1984	93	126	12.95-03.00	*
2.0 (B 5202 S)	Gasolina	FWD	1984	93	126	12.95-03.00	*
2.0 (B 5204 F)	Gasolina	FWD	1984	105	143	12.95-03.00	*
2.0 (B 5204 T4)	Gasolina	FWD	1984	120	163	01.97-12.00	*
2.0 (B 5204 T2)	Gasolina	FWD	1984	132	180	11.96-03.00	*
2.0 Turbo (B 5204 T)	Gasolina	FWD	1984	155	211	12.95-03.00	*
2.0 Turbo (B 5204 T3)	Gasolina	FWD	1984	166	226	11.96-12.00	*
2.0 Turbo AWD (B 5204 T3)	Gasolina	4WD	1984	166	226	11.96-12.00	*
2.3 T-5 (B 5234 T3)	Gasolina	FWD	2319	176	239	11.96-12.00	*
2.3 T-5 AWD (B 5234 T3)	Gasolina	4WD	2319	176	239	01.97-12.00	*
2.3 (B 5234 T3)	Gasolina	FWD	2319	177	241	11.96-11.00	*

LISTA DE APLICACIONES - BUYERS GUIDE

2.3 AWD (B 5234 T3)	Gasolina	4WD	2319	177	241	04.97-09.98	*
2.3 T AWD (B 5234 T4)	Gasolina	4WD	2319	184	250	04.97-03.00	*
2.3 Turbo (B 5234 T4)	Gasolina	FWD	2319	184	250	12.95-03.00	*
2.4 (B 5244 S2)	Gasolina	FWD	2435	103	140	03.99-12.00	*
2.4 (B 5244 SG2)	Gasolina	FWD	2435	103	140	03.99-12.00	*
2.4 (B 5252 FS)	Gasolina	FWD	2435	106	144	12.95-03.00	*
2.4 (B 5254 S)	Gasolina	FWD	2435	121	165	06.98-12.99	*
2.4 AWD (B 5254 S)	Gasolina	4WD	2435	121	165	06.98-12.99	*
2.4 (B 5244 S)	Gasolina	FWD	2435	125	170	12.95-05.00	*
2.4 (B 5254 FS)	Gasolina	FWD	2435	125	170	12.95-05.00	*
2.4 (B 5254 S)	Gasolina	FWD	2435	125	170	12.95-05.00	*
2.4 Turbo (B 5244 T)	Gasolina	FWD	2435	142	193	04.96-12.00	*
2.4 Turbo (B 5254 T)	Gasolina	FWD	2435	142	193	04.96-12.00	*
2.4 Bifuel (B 5244 SG)	Gasol./Gas (CNG)	FWD	2435	103	140	08.99-12.00	*
2.4 Bifuel (GB 5252 S)	Gasol./Gas (CNG)	FWD	2435	106	144	05.98-12.99	*
2.5 TDI (D 5252 T)	Diesel	FWD	2460	103	140	12.95-12.00	*
2.5 TDi AWD (D 5252 T)	Diesel	4WD	2460	103	140	11.96-02.00	*
V90 (965) 11.96-12.98				[CAMBIADO]:Break (Executive car-E Segment)			
2.5 (B 6254 FS)	Gasolina	RWD	2473	125	170	11.96-10.98	*
2.5 (B 6244 FS)	Gasolina	RWD	2473	132	179	11.96-10.97	*
2.9 (B 6304 S2)	Gasolina	RWD	2922	132	180	01.97-12.98	*
2.9 (B 6304 FS)	Gasolina	RWD	2922	150	204	01.97-12.98	*
2.9 (B 6304 GS)	Gasolina	RWD	2922	150	204	01.97-12.98	*
XC70 CROSS COUNTRY / V70 XC (295) 10.97-10.07				[CAMBIADO]:Break (Executive car-E Segment)			
T5 AWD (B 5204 T3)	Gasolina	4WD	1984	166	226	10.97-03.99	*
2.4 T XC AWD (B 5254 T)	Gasolina	4WD	2435	142	193	11.97-09.02	*