

# LISTA DE APLICACIONES - BUYERS GUIDE

## RB1078




8 424073 126030

Qty: 660

Weight: 4.400

O.E.M.	MAKE
190 6043	IVECO
190 6197	IVECO
190 6402	IVECO
41060-9X425	NISSAN



## RB1078



90R-01178/690



Lucas - Girling

175.45x78.1x22

**WVA**  
29067

Sin Filas

**FMSI**  
D1027-7931



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

### FORD

#### CARGO 04.81-

						Caja/Chasis			
1115 (150/6 CA-DOVER)		Diesel		5944	110	150	01.82-01.96	*	*
1215 (150/6 CA-DOVER)		Diesel		5944	110	150	01.82-01.96	*	*
915 (150/6 CA-DOVER)		Diesel		5944	110	150	01.82-01.96	*	*
1013 (130/7 AA-DOVER)		Diesel		6224	94	128	01.82-06.94	*	*
1113 (130/7 AA-DOVER)		Diesel		6224	94	128	01.82-01.96	*	*
913 (130/7 AA-DOVER)		Diesel		6224	94	128	01.82-01.96	*	*

#### CARGO II 08.03-

						Cabeza tractora			
1838 T (9.0 ECOTORQ CARGO)		Diesel		8974	279	380	09.04-	*	*

#### CARGO II 08.03-

						Caja/Chasis			
1826 (7.3 ECOTORQ CARGO)		Diesel		7330	191	260	09.04-	*	*
2526 (7.3 ECOTORQ CARGO)		Diesel		7330	191	260	09.04-	*	*
1832 (9.0 ECOTORQ CARGO)		Diesel		8974	235	320	09.04-	*	*
2532 (9.0 ECOTORQ CARGO)		Diesel		8974	235	320	09.04-	*	*
3232 C, 3232 S (9.0 ECOTORQ CARGO)		Diesel		8974	235	320	09.04-	*	*
2538, 2538 F (9.0 ECOTORQ CARGO)		Diesel		8974	279	380	09.04-	*	*
3238 C, 3238 S (9.0 ECOTORQ CARGO)		Diesel		8974	279	380	09.04-	*	*

#### CARGO II 08.03-

						Camión volquete			
1826 D (7.3 ECOTORQ CARGO)		Diesel		7330	191	260	09.04-	*	*
2526 D (7.3 ECOTORQ CARGO)		Diesel		7330	191	260	09.04-	*	*
2532 D (9.0 ECOTORQ CARGO)		Diesel		8974	235	320	09.04-	*	*
3232 CD, 3232 SD (9.0 ECOTORQ CARGO)		Diesel		8974	235	320	09.04-	*	*
3532 D (9.0 ECOTORQ CARGO)		Diesel		8974	235	320	09.04-	*	*

# LISTA DE APLICACIONES - BUYERS GUIDE

3536 D (9.0 ECOTORQ CARGO)	Diesel	8974	265	360	09.04-	*	*
4136 D (9.0 ECOTORQ CARGO)	Diesel	8974	265	360	09.04-	*	*
<b>CARGO II 08.03-</b>				<b>Hormigonera</b>			
3532 M (9.0 ECOTORQ CARGO)	Diesel	8974	235	320	09.04-	*	*
<b>IVECO</b>							
<b>10.00-07.07</b>				<b>Veh. Municipal</b>			
100 E 21 tector (F4AE0681D)	Diesel	5883	154	209	09.00-07.07	*	*
100 E 25 W tector (F4AE3681D)	Diesel	5883	185	251	05.06-07.07	*	*
<b>EuroCargo I-III 01.91-09.15</b>				<b>Cabeza tractora</b>			
180 E 21 T (8060.45.4100 TCA)	Diesel	5861	152	207	01.91-09.15	*	*
<b>EuroCargo I-III 01.91-09.15</b>				<b>Caja/Chasis</b>			
80 EL 15 tector (F4AE0481C)	Diesel	3922	110	149	09.00-09.15	*	*
80 EL 16 tector, 80 EL 16 P tector (F4AE3481D)	Diesel	3922	118	160	09.06-09.15	*	*
100 E 17, 100 E 17 DP tector, 100 E 18 tector (F4AE0481A)	Diesel	3922	125	170	09.00-09.15	*	*
100 E 17, 100 E 17 DP tector, 100 E 18 tector (F4AE3481B)	Diesel	3922	125	170	09.00-09.15	*	*
80 E 17, 80 E 17 D tector, 80 E 17 DP tector, 80 E 18 tector (F4AE0481A)	Diesel	3922	125	170	09.00-09.15	*	*
80 E 17, 80 E 17 D tector, 80 E 17 DP tector, 80 E 18 tector (F4AE3481B)	Diesel	3922	125	170	09.00-09.15	*	*
90 E 17, 90 E 17D tector, 90 E 17 DP tector, 90 E 18 tector (F4AE0481A)	Diesel	3922	125	170	09.00-09.15	*	*
90 E 17, 90 E 17D tector, 90 E 17 DP tector, 90 E 18 tector (F4AE3481B)	Diesel	3922	125	170	09.00-09.15	*	*
100 E 18 tector, 100 E 18 P tector, 100 E 18 FP tector (F4AE3481B)	Diesel	3922	130	177	09.06-09.15	*	*
80 E 18 tector, 80 E 18 P tector, 80 E 18 FP tector (F4AE3481B)	Diesel	3922	130	177	09.06-09.15	*	*
100 E 15, 100 E 15 P (8060.25R.4200 LTC)	Diesel	5861	105	143	01.91-09.15	*	*
100 E 15, 100 E 15 P (8060.45R.5000)	Diesel	5861	105	143	01.91-09.15	*	*
100 E 15, 100 E 15 P (8060.45R.5001)	Diesel	5861	105	143	01.91-09.15	*	*
100 E 15, 100 E 15 P (8060.45R.5003)	Diesel	5861	105	143	01.91-09.15	*	*
100 E 15, 100 E 15 P (8060.45R.5005)	Diesel	5861	105	143	01.91-09.15	*	*
80 E 15, 80 E 15 P (8060.25R.4200 LTC)	Diesel	5861	105	143	01.91-09.15	*	*
100 E 18, 100 E 18 P (8060.25V.4000)	Diesel	5861	130	177	01.91-09.15	*	*
80 E 18, 80 E 18 P, 18 E 80 FP (8060.25V.4000)	Diesel	5861	130	177	01.91-09.15	*	*
80 E 18, 80 E 18 P, 18 E 80 FP (8060.25V.4000)	Diesel	5861	130	177	01.91-09.15	*	*
100 E 21, 100 E 21 P (8060.45.4100 TCA)	Diesel	5861	152	207	01.91-09.15	*	*
100 E 21, 100 E 21 P (8060.45.4180)	Diesel	5861	152	207	01.91-09.15	*	*
80 E 21, 80 E 21 P, 21 E 80 FP (8060.45.4100 TCA)	Diesel	5861	152	207	01.91-09.15	*	*
80 E 21, 80 E 21 P, 21 E 80 FP (8060.45.4180)	Diesel	5861	152	207	01.91-09.15	*	*
80E21, 80E21P, 80E21FP, 80EL21, 80EL21P (8060.45.4100 TCA)	Diesel	5861	152	207	01.91-09.15	*	*
80E21, 80E21P, 80E21FP, 80EL21, 80EL21P (8060.45.4180)	Diesel	5861	152	207	01.91-09.15	*	*
90 E 18 tector, 90 E 18 D tector, 90 E 18 DP tector (F4AE0681E)	Diesel	5883	130	177	09.00-09.15	*	*
100 E 18 tector, 100 E 18 P tector, 100 E 18 FP tector (F4AE0681D)	Diesel	5883	134	181	09.00-09.15	*	*
100 E 18 tector, 100 E 18 P tector, 100 E 18 FP tector (F4AE0681E)	Diesel	5883	134	181	09.00-09.15	*	*
100 E 18 W tector, 100 E 18 WS tector (F4AE0681E)	Diesel	5883	134	181	09.00-09.15	*	*
100 E 18 W tector, 100 E 18 WS tector (F4AE3681C)	Diesel	5883	134	181	09.00-09.15	*	*
80 E 18 tector, 80 E 18 D tector, 80 E 18 DP tector (F4AE0681D)	Diesel	5883	134	181	09.00-09.15	*	*

# LISTA DE APLICACIONES - BUYERS GUIDE

80 E 18 tector, 80 E 18 D tector, 80 E 18 DP tector (F4AE0681E)	Diesel		5883	134	181	09.00-09.15	*	*
100 E 21, 100 E 21 DP tector, 100 E 22 tector (F4AE0681D)	Diesel		5883	154	209	09.00-09.15	*	*
100 E 21, 100 E 21 DP tector, 100 E 22 tector (F4AE3681B)	Diesel		5883	154	209	09.00-09.15	*	*
100 E 21 W tector, 100 E 21 WS tector (F4AE0681D)	Diesel		5883	154	209	09.00-09.15	*	*
80 E 21, 80 E 21 D tector, 80 E 21 DP tector, 80 E 22 tector (F4AE0681D)	Diesel		5883	154	209	09.00-09.15	*	*
80 E 21, 80 E 21 D tector, 80 E 21 DP tector, 80 E 22 tector (F4AE3681B)	Diesel		5883	154	209	09.00-09.15	*	*
90 E 21, 90 E 21 D tector, 90 E 21 DP tector, 90 E 22 tector (F4AE0681D)	Diesel		5883	154	209	09.00-09.15	*	*
90 E 21, 90 E 21 D tector, 90 E 21 DP tector, 90 E 22 tector (F4AE3681B)	Diesel		5883	154	209	09.00-09.15	*	*
<b>EuroCargo I-III 01.91-09.15</b>				<b>Camión volquete</b>				
100 E 17 K tector, 100 E 17 DK tector (F4AE0481A)	Diesel		3922	125	170	09.00-09.15	*	*
80 E 17 K, 80 E 17 DK tector, 80 E 18 K tector (F4AE0481A)	Diesel		3922	125	170	09.00-09.15	*	*
80 E 17 K, 80 E 17 DK tector, 80 E 18 K tector (F4AE3481B)	Diesel		3922	125	170	09.00-09.15	*	*
90 E 17 K tector, 90 E 17 DK tector (F4AE0481A)	Diesel		3922	125	170	09.00-09.15	*	*
100 E 18 K tector (F4AE3481B)	Diesel		3922	130	177	09.06-09.15	*	*
100 E 15 K (8060.25R.4200 LTC)	Diesel		5861	105	143	01.91-09.15	*	*
80 E 15 K (8060.25R.4200 LTC)	Diesel		5861	105	143	01.91-09.15	*	*
80 E 15 K (8060.25R.4200 LTC)	Diesel		5861	105	143	01.91-09.15	*	*
100 E 18 K (8060.25V.4000)	Diesel		5861	130	177	01.91-09.15	*	*
80 E 18 K (8060.25V.4000)	Diesel		5861	130	177	01.91-09.15	*	*
80 E 18 K (8060.25V.4000)	Diesel		5861	130	177	01.91-09.15	*	*
100 E 18 K tector, 100 E 18 DK tector (F4AE0681E)	Diesel		5883	134	181	09.00-09.15	*	*
80 E 18 K tector, 80 E 18 DK tector (F4AE0681E)	Diesel		5883	134	181	09.00-09.15	*	*
90 E 18 K tector, 90 E 18 DK tector (F4AE0681E)	Diesel		5883	134	181	09.00-09.15	*	*
100 E 21 K tector, 100 E 21 DK tector (F4AE0681D)	Diesel		5883	154	209	09.00-09.15	*	*
180 E 21 K tector (F4AE0681D)	Diesel		5883	154	209	09.00-09.15	*	*
80 E 21 K, 80 E 21 DK tector, 80 E 22 K tector (F4AE0681D)	Diesel		5883	154	209	09.00-09.15	*	*
80 E 21 K, 80 E 21 DK tector, 80 E 22 K tector (F4AE3681B)	Diesel		5883	154	209	09.00-09.15	*	*
90 E 21 K tector, 90 E 21 DK tector (F4AE0681D)	Diesel		5883	154	209	09.00-09.15	*	*
<b>EuroFire 01.91-</b>				<b>Veh. Municipal</b>				
75 E 14 (8040.45)	Diesel		3908	100	136	01.91-09.00	*	*
95 E 18 W (8060.45B)	Diesel		5861	130	177	01.93-09.00	*	*
<b>Zeta 01.79-12.92</b>				<b>Bus</b>				
A 60-10 (8340.04.040)	Diesel		4570	73	99	11.79-06.88	*	*
<b>Zeta 01.79-12.92</b>				<b>Caja/Chasis</b>				
50-8 (8040.04.200)	Diesel		3666	63	86	01.83-12.86	*	*
60-8 (8040.04.200)	Diesel		3666	63	86	11.79-12.83	*	*
50-9 (8040.05.230)	Diesel		3908	65	88	01.87-03.91	*	*
65-9 (8040.05.230)	Diesel		3908	65	88	01.87-03.91	*	
60-11 (8040.25.230 R)	Diesel		3908	74	101	01.87-03.91	*	
65-12 (8040.25.200)	Diesel		3908	85	116	01.87-03.91	*	
79-12 (8040.25.200)	Diesel		3908	85	116	01.87-03.91	*	
79-12 (8040.25.220)	Diesel		3908	85	116	01.87-03.91	*	
79-12 (8040.25.200)	Diesel		3908	85	116	01.87-03.91	*	
79-12 (8040.25.220)	Diesel		3908	85	116	01.87-03.91	*	
50-10 (8340.04.200)	Diesel		4570	74	101	01.79-12.86	*	*

# LISTA DE APLICACIONES - BUYERS GUIDE

50-10 (8340.04.250)		Diesel		4570	74	101	01.79-12.86	*	*
50-10 (8340.04.300)		Diesel		4570	74	101	01.79-12.86	*	*
50-10 (8340.04.362)		Diesel		4570	74	101	01.79-12.86	*	*
60-10 (8340.04.200)		Diesel		4570	74	101	11.79-12.86	*	*
60-10 (8340.04.250)		Diesel		4570	74	101	11.79-12.86	*	*
65-10 (8340.04.200)		Diesel		4570	74	101	11.79-01.87	*	*
65-10 (8340.04.250)		Diesel		4570	74	101	11.79-01.87	*	*
65-10 (8340.04.300)		Diesel		4570	74	101	11.79-01.87	*	*
65-10 (8340.04.350)		Diesel		4570	74	101	11.79-01.87	*	*
79-13 (8060.04.060)		Diesel		5500	96	131	11.79-12.83	*	*
79-13 (8060.04.660)		Diesel		5500	96	131	11.79-12.83	*	*
109-14 (8060.04.689)		Diesel		5500	99	135	06.83-12.85	*	*
95-14 (8060.04.669)		Diesel		5500	99	135	07.83-10.85	*	*
109-14 (8060.05.289)		Diesel		5861	101	137	11.85-03.91	*	
79-14 (8060.05.280)		Diesel		5861	101	137	12.85-03.91	*	
79-14 (8060.05.280)		Diesel		5861	101	137	12.85-03.91	*	
95-14 (8060.04.669)		Diesel		5861	101	137	11.85-03.91	*	
<b>Zeta 01.79-12.92</b>					<b>Camión volquete</b>				
50-8 H (8040.04.200)		Diesel		3666	63	86	01.83-12.86	*	*
50-9 H (8040.05.230)		Diesel		3908	65	88	01.87-03.91	*	*
65-12 H (8040.25.200)		Diesel		3908	85	116	01.87-03.91	*	
79-12 H (8040.25.200)		Diesel		3908	85	116	01.87-03.91	*	
79-12 H (8040.25.220)		Diesel		3908	85	116	01.87-03.91	*	
79-12 H (8040.25.200)		Diesel		3908	85	116	01.87-03.91	*	
79-12 H (8040.25.220)		Diesel		3908	85	116	01.87-03.91	*	
50-10H (8340.04.200)		Diesel		4570	74	101	01.79-12.86	*	*
50-10H (8340.04.250)		Diesel		4570	74	101	01.79-12.86	*	*
50-10H (8340.04.300)		Diesel		4570	74	101	01.79-12.86	*	*
50-10H (8340.04.362)		Diesel		4570	74	101	01.79-12.86	*	*
60-10H (8340.04.200)		Diesel		4570	74	101	11.79-12.86	*	*
60-10H (8340.04.250)		Diesel		4570	74	101	11.79-12.86	*	*
65-10H (8340.04.200)		Diesel		4570	74	101	11.79-01.87	*	*
65-10H (8340.04.250)		Diesel		4570	74	101	11.79-01.87	*	*
65-10H (8340.04.300)		Diesel		4570	74	101	11.79-01.87	*	*
65-10H (8340.04.350)		Diesel		4570	74	101	11.79-01.87	*	*
79-13 (8060.04.060)		Diesel		5500	96	131	11.79-12.83	*	*
79-13 (8060.04.660)		Diesel		5500	96	131	11.79-12.83	*	*
109-14 H (8060.04.689)		Diesel		5500	99	135	06.83-12.85	*	*
95-14 H (8060.04.669)		Diesel		5500	99	135	07.83-10.85	*	*
109-14 H (8060.05.289)		Diesel		5861	101	137	11.85-03.91	*	
79-14 H (8060.05.280)		Diesel		5861	101	137	12.85-03.91	*	
79-14 H (8060.05.280)		Diesel		5861	101	137	12.85-03.91	*	
95-14 H (8060.04.669)		Diesel		5861	101	137	11.85-03.91	*	
<b>Zeta 01.79-12.92</b>					<b>Furgoneta</b>				
50-8 V (8040.04.200)		Diesel		3666	63	86	01.83-12.86	*	*
60-8 (8040.04.200)		Diesel		3666	63	86	11.79-12.82	*	*
50-9 V (8040.05.230)		Diesel		3908	65	88	01.87-03.91	*	*
60-11 V (8040.25.230 R)		Diesel		3908	74	101	01.87-03.91	*	
65-12 V (8040.25.200)		Diesel		3908	85	116	01.87-03.91	*	
79-12 V (8040.25.200)		Diesel		3908	85	116	01.87-03.91	*	
79-12 V (8040.25.220)		Diesel		3908	85	116	01.87-03.91	*	

# LISTA DE APLICACIONES - BUYERS GUIDE

79-12 V (8040.25.200)	Diesel		3908	85	116	01.87-03.91	*	
79-12 V (8040.25.220)	Diesel		3908	85	116	01.87-03.91	*	
50-10V (8340.04.200)	Diesel		4570	74	101	01.79-12.86	*	*
50-10V (8340.04.250)	Diesel		4570	74	101	01.79-12.86	*	*
50-10V (8340.04.300)	Diesel		4570	74	101	01.79-12.86	*	*
50-10V (8340.04.362)	Diesel		4570	74	101	01.79-12.86	*	*
60-10V (8340.04.200)	Diesel		4570	74	101	11.79-12.86	*	*
60-10V (8340.04.250)	Diesel		4570	74	101	11.79-12.86	*	*
65-10V (8340.04.200)	Diesel		4570	74	101	11.79-01.87	*	*
65-10V (8340.04.250)	Diesel		4570	74	101	11.79-01.87	*	*
65-10V (8340.04.300)	Diesel		4570	74	101	11.79-01.87	*	*
65-10V (8340.04.350)	Diesel		4570	74	101	11.79-01.87	*	*
79-13 (8060.04.060)	Diesel		5500	96	131	11.79-12.83	*	*
79-13 (8060.04.660)	Diesel		5500	96	131	11.79-12.83	*	*
79-14 V (8060.05.280)	Diesel		5861	101	137	12.85-03.91	*	
79-14 V (8060.05.280)	Diesel		5861	101	137	12.85-03.91	*	
MERCEDES-BENZ								
AXOR 2 10.04-					Camión volquete			
3535K (OM 457.937)	Diesel		11967	260	354	06.09-	*	*
NISSAN								
ATLEON 09.00-					Caja/Chasis			
120.45 (BD-30TI)	Diesel		2953	87	118	09.03-	*	*
120.56 (BD-30TI)	Diesel		2953	87	118	09.03-	*	*
140.70 (B4-40TI)	Diesel		3990	100	136	09.03-	*	*
140.80 (B4-40TI)	Diesel		3990	100	136	09.03-	*	*
60.14 (B4-40TI)	Diesel		3990	100	136	10.06-	*	*
65.14 (B4-40TI)	Diesel		3990	100	136	10.06-	*	*
70.14 (B4-40TI)	Diesel		3990	100	136	10.06-	*	*
75.14 (B4-40TI)	Diesel		3990	100	136	10.06-	*	*
80.14 (B4-40TI)	Diesel		3990	100	136	10.06-	*	*
80.19	Diesel		4460	136	185	10.06-	*	*
120.16, 165.120 (B6-60TI-L)	Diesel		5985	117	159	01.04-08.06	*	*
165.130 (B6-60TI-L)	Diesel		5985	117	159	09.03-	*	*
95.16, 165.95 (B6-60TI-L)	Diesel		5985	117	159	09.99-08.06	*	*
120.21, 210.120 (B6-60TI-H)	Diesel		5985	151	205	09.99-08.06	*	*
150.21, 210.150 (B6-60TI-H)	Diesel		5985	151	205	09.99-08.06	*	*
210.130 (B6-60TI-H)	Diesel		5985	151	205	09.03-	*	*
L Series 01.95-12.00					Caja/Chasis			
L 80.9	Diesel			70	95	01.95-	*	*
L 80.9	Diesel			70	95	01.95-	*	*
M Series					Caja/Chasis			
M 110.14	Diesel			103	140	01.53-12.00	*	*
M Series								
M 110.14	Diesel			103	140	01.53-12.00	*	*
RENAULT TRUCKS								
Midliner 10.82-01.00					Caja/Chasis			
S 120.08/A (T 4.40 A/3)	Diesel		3990	88	120	11.92-10.94	*	
S 120.08/A (T 4.40 CC)	Diesel		3990	88	120	11.92-10.94	*	
S 120.08/A (T 4.40 A/3)	Diesel		3990	88	120	11.92-10.94	*	*

# LISTA DE APLICACIONES - BUYERS GUIDE

S 120.08/A (T 4.40 CC)	Diesel		3990	88	120	11.92-10.94	*	*
S 135.08/A (T 4.40 B/3)	Diesel		3990	102	139	02.94-05.96	*	
S 135.08/A,S 150.08/A (MIDR 04.02.26 A/41)	Diesel		4118	100	136	05.96-01.00	*	
S 135.08/A,S 150.08/A (MIDR 04.02.26 B/41)	Diesel		4118	100	136	05.96-01.00	*	
S 150.09/B,S 135.09/B (MIDR 04.02.26 A/41)	Diesel		4118	100	136	05.96-01.00	*	
S 150.09/B,S 135.09/B (MIDR 04.02.26 B/41)	Diesel		4118	100	136	05.96-01.00	*	
S 140.08/A,S 140.08/B (MIDS 06.02.12 C)	Diesel		5490	103	140	01.90-09.93	*	
S 140.09/B (MIDS 06.02.12 C)	Diesel		5490	103	140	01.90-09.93	*	
S 150.08/A,S 150.08/B (MIDS 06.02.12 D/3)	Diesel		5490	110	150	01.94-05.96	*	
S 150.09/B (MIDS 06.02.12 D/3)	Diesel		5490	110	150	01.94-05.96	*	
S 160.08/A,S 160.08/B (MIDS 06.02.12 B)	Diesel		5490	117	159	01.90-09.93	*	
S 160.09/B (MIDS 06.02.12 B)	Diesel		5490	117	159	01.90-09.93	*	
S 130.06 (797)	Diesel		5491	96	130	09.83-01.90	*	*
S 150.08/A,S 150.08/B (MIDR 06.02.26 U)	Diesel		6174	110	150	11.92-01.94	*	
S 150.08/B (MIDR 06.02.26 U)	Diesel		6174	110	150	11.92-01.94	*	
S 150.09/B (MIDR 06.02.26 U)	Diesel		6174	110	150	11.92-01.94	*	
S 180.08/A,S 180.08/B (MIDR 06.02.26 V)	Diesel		6174	129	175	11.92-10.96	*	
S 180.09/B (MIDR 06.02.26 V)	Diesel		6174	129	175	11.92-10.96	*	
S 180.08/A (MIDR 06.02.26 V/41)	Diesel		6180	132	180	05.96-01.00	*	
S 180.09/B (MIDR 06.02.26 V/41)	Diesel		6180	132	180	05.96-01.00	*	
S 210.08/A (MIDR 06.02.26 W)	Diesel		6180	151	205	04.95-01.00	*	
S 210.08/A (MIDR 06.02.26 W/41)	Diesel		6180	151	205	04.95-01.00	*	
S 210.09/B (MIDR 06.02.26 W)	Diesel		6180	151	205	04.95-01.00	*	
S 210.09/B (MIDR 06.02.26 W/41)	Diesel		6180	151	205	04.95-01.00	*	
<b>Midliner 10.82-01.00</b>					<b>Camión volquete</b>			
S 120.08/A (T 4.40)	Diesel		3990	82	112	09.90-11.92	*	
S 135.08/A (T 4.40 B/3)	Diesel		3990	102	139	02.94-05.96	*	
S 140.08/A,S 140.08/B (MIDS 06.02.12 C)	Diesel		5490	103	140	01.90-09.93	*	
S 140.09/B (MIDS 06.02.12 C)	Diesel		5490	103	140	01.90-09.93	*	
S 150.08/B (MIDS 06.02.12 D/3)	Diesel		5490	110	150	01.94-05.96	*	
S 150.09/B (MIDS 06.02.12 D/3)	Diesel		5490	110	150	01.94-05.96	*	
S 180.08/A,S 180.08/B (MIDR 06.02.26 V)	Diesel		6174	129	175	11.92-10.96	*	
S 180.09/B (MIDR 06.02.26 V)	Diesel		6174	129	175	11.92-10.96	*	
<b>VOLVO</b>								
<b>FL6 09.85-08.00</b>					<b>Caja/Chasis</b>			
FL 619 (TD 61 F)	Diesel		5480	150	204	09.85-11.94	*	*