

# LISTA DE APLICACIONES - BUYERS GUIDE

## RB1149




8 424073 127013

Qty: 300

Weight: 1.480

O.E.M.	MAKE
001 420 24 20	MERCEDES-BENZ
002 420 17 20	MERCEDES-BENZ
002 420 24 20	MERCEDES-BENZ
003 420 37 20	MERCEDES-BENZ
003 420 38 20	MERCEDES-BENZ
003 420 75 20	MERCEDES-BENZ
003 420 76 20	MERCEDES-BENZ
281 698 151 A	VW



## RB1149



90R-01111/2163



Ate - Teves

89.65x73.9x19

WVA

20392

29581

Sin Filas



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

### MERCEDES-BENZ

#### MB-TRAC 07.73-12.91

#### Tractor

1100 (OM 353.949)	Diesel	5675	81	110	03.79-08.87	*
1300 (OM 353.957)	Diesel	5675	92	125	03.76-08.87	*
1500 (OM 353.976)	Diesel	5675	110	150	07.80-12.87	*
1000, 1100 (OM 366.908)	Diesel	5958	74	100	02.87-12.91	*
1000, 1100 (OM 366.912)	Diesel	5958	74	100	02.87-12.91	*
1300 Turbo, 1400 Turbo (OM 366.958)	Diesel	5958	92	125	02.82-12.91	*
1300 Turbo, 1400 Turbo (OM 366.977)	Diesel	5958	92	125	02.82-12.91	*
1600 Turbo (OM 366.954)	Diesel	5958	115	156	06.90-12.91	*
1800 (OM 366.954)	Diesel	5958	132	180	06.90-12.91	*

#### O 580 TRAVEGO (O 580) 10.99-

#### Bus

O 580-17 RHD (OM 457.944)	Diesel	11967	260	354	10.99-	*
O 580-17 RHD (OM 457.953)	Diesel	11967	260	354	10.99-	*
O 580-17 RHD (OM 457.961)	Diesel	11967	260	354	10.99-	*
O 580-17 SHD (OM 542.948)	Diesel	15928	320	435	10.99-	*
O 580-17 SHD (OM 542.966)	Diesel	15928	350	476	10.99-	*

#### UNIMOG 01.55-

#### Cabina tractora

U 140T (OM 364.982)	Diesel	3972	98	133	07.92-	*
U 1200T (OM 356.954)	Diesel	5958	92	125	01.88-	*
U 1200T (OM 356.954)	Diesel	5958	92	125	01.88-	*
U 1200T (OM 366.949)	Diesel	5958	92	125	01.88-	*
U 1200T (OM 366.949)	Diesel	5958	92	125	01.88-	*

# LISTA DE APLICACIONES - BUYERS GUIDE

UNIMOG 01.55-					Caja/Chasis			
U 1000	Diesel					01.55-	*	*
U 1150	Diesel					01.55-	*	*
U 1200	Diesel					01.55-	*	*
U 1250	Diesel					01.55-	*	*
U 1350	Diesel					01.55-	*	*
U 1400	Diesel					01.55-	*	*
U 1450	Diesel					01.55-	*	*
U 1550	Diesel					01.55-	*	*
U 1600	Diesel					01.55-	*	*
U 1650	Diesel					01.55-	*	*
U 1650	Diesel					01.55-	*	*
U 900	Diesel					01.55-	*	*
U 90 (OM 602.941)	Diesel		2874	65	88	11.92-	*	*
U 100L (OM 602.948)	Diesel		2874	71	97	11.92-	*	
U 100L (OM 602.981)	Diesel		2874	85	116	07.96-	*	
U 100L (OM 602.989)	Diesel		2874	85	116	07.96-	*	
U 90 (OM 602.981)	Diesel		2874	85	116	07.96-	*	*
U 90 (OM 602.989)	Diesel		2874	85	116	07.96-	*	*
U 130,U 140 (OM 364.982)	Diesel		3972	98	133	07.92-	*	*
U 130,U 140 (OM 364.985)	Diesel		3972	98	133	07.92-	*	*
U 140L (OM 364.985)	Diesel		3972	100	136	07.92-	*	*
U 110,U 110L (OM 364.955)	Diesel		3973	75	102	02.92-	*	*
U 110,U 110L (OM 364.958)	Diesel		3973	75	102	02.92-	*	*
U 20 (OM 900.915)	Diesel		4249	110	150	09.06-	*	*
U 20 (OM 900.915)	Diesel		4249	110	150	09.06-	*	*
U 20 (OM 900.915)	Diesel		4249	110	150	09.06-	*	*
U 300 (OM 904.927)	Diesel		4249	110	150	03.00-	*	*
U 3000 (OM 900.920)	Diesel		4249	110	150	09.02-	*	*
U 3000 (OM 904.953)	Diesel		4249	110	150	09.02-	*	*
U 4000 (OM 900.920)	Diesel		4249	110	150	09.02-	*	*
U 4000 (OM 904.953)	Diesel		4249	110	150	09.02-	*	*
U 300 (OM 904.928)	Diesel		4249	130	177	03.00-	*	*
U 3000 (OM 904.952)	Diesel		4249	130	177	09.02-	*	*
U 4000 (OM 904.952)	Diesel		4249	130	177	09.02-	*	*
U 4000 (OM 924.916)	Diesel		4801	160	218	09.02-	*	*
U 4000 (OM 924.923)	Diesel		4801	160	218	09.02-	*	*
U 5000 (OM 924.923)	Diesel		4801	160	218	01.12-	*	*
U 216	Diesel		5132	115	156	05.13-	*	*
U 218	Diesel		5132	130	177	05.13-	*	*
U 318	Diesel		5132	130	177	05.13-	*	*
U 900 (OM 353.902)	Diesel		5675	62	84	01.77-	*	*
U 1150,U 1150L (OM 353.940)	Diesel		5675	81	110	05.88-	*	*
U 1150,U 1150L (OM 353.940)	Diesel		5675	81	110	05.88-	*	*
U 1150L (OM 353.907)	Diesel		5675	92	125	05.88-	*	*
U 1300,U 1300L (OM 353.961)	Diesel		5675	92	125	01.77-05.88		*
U 1300,U 1300L (OM 353.973)	Diesel		5675	92	125	01.77-05.88		*
U 1000 (OM 356.914)	Diesel		5958	75	102	01.88-	*	*
U 1000 (OM 366.915)	Diesel		5958	75	102	01.88-	*	*
U 900 (OM 356.912)	Diesel		5958	81	110	11.88-	*	*
U 900 (OM 366.939)	Diesel		5958	81	110	11.88-	*	*

# LISTA DE APLICACIONES - BUYERS GUIDE

U 1250,U 1250L (OM 356.950)		Diesel		5958	92	125	01.88-	*	*
U 1250,U 1250L (OM 356.954)		Diesel		5958	92	125	01.88-	*	*
U 1250,U 1250L (OM 366.949)		Diesel		5958	92	125	01.88-	*	*
U 1350L (OM 366.955)		Diesel		5958	100	136	05.88-	*	*
U 1400 (OM 357.912)		Diesel		5958	100	136	01.88-	*	*
U 1400 (OM 366.947)		Diesel		5958	100	136	01.88-	*	*
U 1400 (OM 366.948)		Diesel		5958	100	136	01.88-	*	*
U 1400 (OM 366.955)		Diesel		5958	100	136	01.88-	*	*
U 1400 (OM 366.956)		Diesel		5958	100	136	01.88-	*	*
U 1450,U 1450L (OM 357.912)		Diesel		5958	100	136	01.88-	*	*
U 1450,U 1450L (OM 366.947)		Diesel		5958	100	136	01.88-	*	*
U 1450,U 1450L (OM 366.948)		Diesel		5958	100	136	01.88-	*	*
U 1450,U 1450L (OM 366.955)		Diesel		5958	100	136	01.88-	*	*
U 1450,U 1450L (OM 366.956)		Diesel		5958	100	136	01.88-	*	*
U 1550L (OM 366.955)		Diesel		5958	100	136	05.88-	*	*
U 1550L (OM 366.956)		Diesel		5958	100	136	05.88-	*	*
U 1300 L (OM 382.917)		Diesel		5958	110	150	01.77-05.88	*	*
U 1550L (OM 356.955)		Diesel		5958	114	155	01.92-	*	*
U 1550L (OM 356.956)		Diesel		5958	114	155	01.92-	*	*
U 1550L (OM 356.956)		Diesel		5958	115	156	05.88-	*	*
U 1550L (OM 366.963)		Diesel		5958	125	170	01.92-	*	*
U 1550L (OM 356.997)		Diesel		5958	150	204	05.88-	*	*
U 1550L (OM 357.924)		Diesel		5958	150	204	05.88-	*	*
U 1550L (OM 366.984)		Diesel		5958	150	204	05.88-	*	*
U 1550L (OM 356.980)		Diesel		5958	177	241	05.88-	*	*
U 1550L (OM 357.945)		Diesel		5958	177	241	05.88-	*	*
U 1600 (OM 356.980)		Diesel		5958	177	241	05.91-	*	*
U 1600 (OM 357.945)		Diesel		5958	177	241	05.91-	*	*
U 1650,U 1650L (OM 356.980)		Diesel		5958	177	241	05.91-	*	*
U 1650,U 1650L (OM 357.945)		Diesel		5958	177	241	05.91-	*	*
VW									
LT 28-35 / LT 28-50 (281-363) 04.75-06.96						[CAMBIADO]:Furgón (LCVs-N1 Segment)			
2.0 (CH)		Gasolina	RWD	1984	55	75	04.75-09.83	*	
2.4 i (1E)		Gasolina	RWD	2383	69	94	08.89-06.96	*	
2.4 (DL)		Gasolina	RWD	2384	66	90	12.82-07.92	*	
2.4 D (1S)		Diesel	RWD	2383	51	69	07.90-05.96	*	
2.4 D (ACT)		Diesel	RWD	2383	51	69	07.90-05.96	*	
2.4 D (CP)		Diesel	RWD	2383	55	75	01.79-07.92	*	
2.4 D (DW)		Diesel	RWD	2383	55	75	01.79-07.92	*	
2.4 TD (1G)		Diesel	RWD	2384	68	92	08.88-08.92	*	
2.4 TD (ACL)		Diesel	RWD	2384	70	95	06.92-05.96	*	
2.4 TD (DV)		Diesel	RWD	2384	75	102	02.86-08.92	*	
2.7 D (CG)		Diesel	RWD	2702	48	65	11.75-01.80	*	
LT 28-35 / LT 28-50 (281-363) 04.75-06.96						Bus (Minibus-M2-Segment)			
2.0 (CH)		Gasolina	RWD	1984	55	75	04.75-09.83	*	
2.4 i (1E)		Gasolina	RWD	2383	69	94	08.89-06.96	*	
2.4 (DL)		Gasolina	RWD	2384	66	90	12.82-07.92	*	
2.4 D (1S)		Diesel	RWD	2383	51	70	08.89-06.96	*	
2.4 D (ACT)		Diesel	RWD	2383	51	70	08.89-06.96	*	
2.4 D (CP)		Diesel	RWD	2383	55	75	01.79-07.92	*	

# LISTA DE APLICACIONES - BUYERS GUIDE

2.4 D (DW)		Diesel	RWD	2383	55	75	01.79-07.92	*
2.4 TD (1G)		Diesel	RWD	2384	68	92	08.89-08.92	*
2.4 TD (ACL)		Diesel	RWD	2384	70	95	09.92-06.96	*
2.4 TD (DV)		Diesel	RWD	2384	75	102	12.82-07.89	*
<b>LT 28-35 / LT 28-50 (281-363) 04.75-06.96</b>					<b>Caja/Chasis (LCVs-N1 Segment)</b>			
2.0 (CH)		Gasolina	RWD	1984	55	75	04.75-09.83	*
2.4 i (1E)		Gasolina	RWD	2383	69	94	03.94-06.96	*
2.4 Syncro (1E)		Gasolina	4WD	2383	70	95	08.92-07.94	*
2.4 (DL)		Gasolina	RWD	2384	66	90	12.82-07.92	*
2.4 Syncro (DL)		Gasolina	4WD	2384	66	90	08.91-07.92	*
2.4 D (1S)		Diesel	RWD	2383	51	69	08.90-06.96	*
2.4 D (ACT)		Diesel	RWD	2383	51	69	08.90-06.96	*
2.4 D Syncro (1S)		Diesel	4WD	2383	51	69	08.91-07.92	*
2.4 D (CP)		Diesel	RWD	2383	55	75	12.78-02.91	*
2.4 D (DW)		Diesel	RWD	2383	55	75	12.78-02.91	*
2.4 D Syncro (DW)		Diesel	4WD	2383	55	75	08.91-07.92	*
2.4 TD (1G)		Diesel	RWD	2384	68	92	08.90-08.92	*
2.4 TD Syncro (1G)		Diesel	4WD	2384	68	92	08.91-07.92	*
2.4 TD (ACL)		Diesel	RWD	2384	70	95	08.92-06.96	*
2.4 TD (DV)		Diesel	RWD	2384	75	102	12.82-09.93	*
2.4 TD Syncro (DV)		Diesel	4WD	2384	75	102	08.91-07.92	*
2.7 D (CG)		Diesel	RWD	2702	48	65	11.75-01.80	*
<b>LT 40-55 (291-512) 04.75-06.96</b>					<b>[CAMBIADO]:Furgón (LCVs-N1 Segment)</b>			
2.0 (CH)		Gasolina	RWD	1984	55	75	04.75-09.83	*
2.4 i (1E)		Gasolina	RWD	2383	69	94	01.93-06.96	*
2.4 (DL)		Gasolina	RWD	2384	66	90	12.82-07.92	*
2.4 4WD (DL)		Gasolina	4WD	2384	66	90	12.82-07.92	*
2.4 D (1S)		Diesel	RWD	2383	51	69	07.90-05.96	*
2.4 D (ACT)		Diesel	RWD	2383	51	69	07.90-05.96	*
2.4 D (CP)		Diesel	RWD	2383	55	75	01.79-07.92	*
2.4 D (DW)		Diesel	RWD	2383	55	75	01.79-07.92	*
2.4 D 4WD (DW)		Diesel	4WD	2383	55	75	12.82-07.91	*
2.4 TD (1G)		Diesel	RWD	2384	68	92	08.88-08.92	*
2.4 TD (ACL)		Diesel	RWD	2384	70	95	06.92-05.96	*
2.4 TD (DV)		Diesel	RWD	2384	75	102	02.86-08.92	*
2.4 TD 4WD (DV)		Diesel	4WD	2384	75	102	12.82-07.91	*
<b>LT 40-55 (293-909) 04.75-06.96</b>					<b>Caja/Chasis (LCVs-N1 Segment)</b>			
2.0 (CH)		Gasolina	RWD	1984	55	75	04.75-09.83	*
2.4 i (1E)		Gasolina	RWD	2383	69	94	03.94-06.96	*
2.4 (DL)		Gasolina	RWD	2384	66	90	08.85-07.89	*
2.4 Syncro (DL)		Gasolina	4WD	2384	66	90	12.82-07.89	*
2.4 D (1S)		Diesel	RWD	2383	51	69	08.90-06.96	*
2.4 D (ACT)		Diesel	RWD	2383	51	69	08.90-06.96	*
2.4 D (CP)		Diesel	RWD	2383	55	75	12.78-02.91	*
2.4 D (DW)		Diesel	RWD	2383	55	75	12.78-02.91	*
2.4 TD (1G)		Diesel	RWD	2384	68	92	08.88-07.91	*
2.4 TD Syncro (1G)		Diesel	4WD	2384	68	92	08.91-07.92	*
2.4 TD (ACL)		Diesel	RWD	2384	70	95	08.92-06.96	*
2.4 TD (DV)		Diesel	RWD	2384	75	102	12.82-09.93	*
2.4 TD Syncro (DV)		Diesel	4WD	2384	75	102	12.82-07.92	*

# LISTA DE APLICACIONES - BUYERS GUIDE

<b>POLO (86) 03.75-09.81</b>				<b>[CAMBIADO]:Fastback (Supermini car-B Segment)</b>				
1.1 (HC)		Gasolina	FWD	1093	44	60	03.75-09.81	*