

# LISTA DE APLICACIONES - BUYERS GUIDE



## RB1404-202



Qty: 660

Weight: 6.990

O.E.M.	MAKE
000 421 10 10	MERCEDES-BENZ
000 421 12 10	MERCEDES-BENZ
001 421 05 10	MERCEDES-BENZ
001 421 06 10	MERCEDES-BENZ
001 421 25 10	MERCEDES-BENZ
001 421 26 10	MERCEDES-BENZ
003 420 11 20	MERCEDES-BENZ
003 420 12 20	MERCEDES-BENZ
003 420 66 20	MERCEDES-BENZ
003 420 72 20	MERCEDES-BENZ
003 420 73 20	MERCEDES-BENZ
004 420 61 20	MERCEDES-BENZ
008 420 65 20	MERCEDES-BENZ
81 50820 5085	MAN
81 50820 6043	MAN
81 50820 6054	MAN
81 50820 8085	MAN
9291045	SAETA
9291048	SAETA
9291049	SAETA
D1060-LC55A	NISSAN



## RB1404-202



**E 9 90R-01178/696**  
Knorr SB5000/SN5000

173.5x83x34
185x84x34

WVA	FMSI
29115	D1995-9225
29148	
29183	

Sin Filas



Trac.	CC	Kw	CV
-------	----	----	----



### DENNIS

DAGGER 01.02-12.07							Veh. Municipal	
Dagger (ISBE 250)	Diesel	5883	184	250	01.02-12.07	*	*	

### KAMAZ

4308 01.03-							Caja/Chasis	
4308 (ISBE 170)	Diesel	3922	125	167	01.03-	*	*	
4308	Diesel	4460	136	185	05.04-	*	*	
4308 (B 5.9)	Diesel	5883	134	180	01.03-	*	*	
4308	Diesel	6690	131	178	05.04-	*	*	

### MAN

L2000 06.93-							Cabeza tractora	
6.103	Diesel	4580	75	102	06.93-08.06	*		
7.103	Diesel	4580	75	102	06.93-08.06	*		
8.103	Diesel	4580	75	102	06.93-08.06	*		
6.113	Diesel	4580	81	110	06.93-08.06	*		
7.113	Diesel	4580	81	110	06.93-08.06	*		
8.113	Diesel	4580	81	110	06.93-08.06	*		
6.113	Diesel	4580	83	113	01.97-08.06	*		
7.113	Diesel	4580	83	113	01.97-08.06	*		
8.113	Diesel	4580	83	113	01.97-08.06	*		
6.143	Diesel	4580	103	140	07.99-08.06	*		
7.143	Diesel	4580	103	140	07.99-08.06	*		
10.145	Diesel	4580	104	141	06.93-03.06	*		
6.143	Diesel	4580	104	141	06.93-08.06	*		

# LISTA DE APLICACIONES - BUYERS GUIDE

7.143		Diesel		4580	104	141	06.93-08.06	*
8.145		Diesel		4580	104	141	06.93-08.06	*
9.145		Diesel		4580	104	141	06.93-08.06	*
6.153		Diesel		4580	110	150	07.99-08.06	*
7.153		Diesel		4580	110	150	07.99-08.06	*
8.153		Diesel		4580	110	150	07.99-08.06	*
8.155		Diesel		4580	110	150	07.99-08.06	*
9.153		Diesel		4580	110	150	07.99-08.06	*
9.155		Diesel		4580	110	150	07.99-08.06	*
6.153		Diesel		4580	114	155	06.93-08.06	*
6.163		Diesel		4580	114	155	04.97-08.06	*
7.153		Diesel		4580	114	155	06.93-08.06	*
7.163		Diesel		4580	114	155	04.97-08.06	*
6.163		Diesel		4580	118	160	06.93-08.06	*
7.163		Diesel		4580	118	160	06.93-08.06	*
6.174		Diesel		4580	125	170	07.99-08.06	*
7.174		Diesel		4580	125	170	07.99-08.06	*
<b>L2000 06.93-</b>								<b>Caja/Chasis</b>
6.103		Diesel		4580	75	102	06.93-08.06	*
7.103		Diesel		4580	75	102	06.93-08.06	* *
6.113		Diesel		4580	81	110	06.93-08.06	*
7.113		Diesel		4580	81	110	06.93-08.06	*
6.113		Diesel		4580	83	113	01.97-08.06	*
7.113		Diesel		4580	83	113	01.97-08.06	*
6.143		Diesel		4580	103	140	07.99-08.06	*
7.143		Diesel		4580	103	140	07.99-08.06	*
10.145		Diesel		4580	104	141	06.93-04.06	*
6.143		Diesel		4580	104	141	06.93-08.06	*
7.143		Diesel		4580	104	141	06.93-08.06	*
8.145		Diesel		4580	104	141	06.93-08.06	*
9.145		Diesel		4580	104	141	06.93-08.06	*
10.153		Diesel		4580	110	150	07.99-04.06	*
10.155		Diesel		4580	110	150	07.99-04.06	*
6.153		Diesel		4580	110	150	07.99-08.06	*
7.153		Diesel		4580	110	150	07.99-08.06	*
8.153		Diesel		4580	110	150	07.99-08.06	*
8.155		Diesel		4580	110	150	07.99-08.06	*
9.153		Diesel		4580	110	150	07.99-08.06	*
9.155		Diesel		4580	110	150	07.99-08.06	*
6.153		Diesel		4580	114	155	06.93-08.06	*
6.163		Diesel		4580	114	155	04.97-08.06	*
7.153		Diesel		4580	114	155	06.93-08.06	*
7.163		Diesel		4580	114	155	04.97-08.06	*
6.163		Diesel		4580	118	160	06.93-08.06	*
7.163		Diesel		4580	118	160	06.93-08.06	*
6.174		Diesel		4580	125	170	07.99-08.06	*
7.174		Diesel		4580	125	170	07.99-08.06	*
<b>L2000 06.93-</b>								<b>Camión volquete</b>
6.103		Diesel		4580	75	102	06.93-08.06	*
7.103		Diesel		4580	75	102	06.93-08.06	*
6.113		Diesel		4580	81	110	06.93-08.06	*

# LISTA DE APLICACIONES - BUYERS GUIDE

7.113		Diesel		4580	81	110	06.93-08.06	*
6.113		Diesel		4580	83	113	01.97-08.06	*
7.113		Diesel		4580	83	113	01.97-08.06	*
8.113		Diesel		4580	83	113	01.97-08.06	*
6.143		Diesel		4580	103	140	07.99-08.06	*
7.143		Diesel		4580	103	140	07.99-08.06	*
10.145		Diesel		4580	104	141	06.93-04.06	*
6.143		Diesel		4580	104	141	06.93-08.06	*
7.143		Diesel		4580	104	141	06.93-08.06	*
8.145		Diesel		4580	104	141	06.93-08.06	*
9.145		Diesel		4580	104	141	06.93-08.06	*
10.153		Diesel		4580	110	150	07.99-04.06	*
10.155		Diesel		4580	110	150	07.99-04.06	*
6.153		Diesel		4580	110	150	07.99-08.06	*
7.153		Diesel		4580	110	150	07.99-08.06	*
8.153		Diesel		4580	110	150	07.99-08.06	*
8.155		Diesel		4580	110	150	07.99-08.06	*
9.153		Diesel		4580	110	150	07.99-08.06	*
9.155		Diesel		4580	110	150	07.99-08.06	*
6.153		Diesel		4580	114	155	06.93-08.06	*
6.163		Diesel		4580	114	155	04.97-08.06	*
7.153		Diesel		4580	114	155	06.93-08.06	*
7.163		Diesel		4580	114	155	04.97-08.06	*
6.163		Diesel		4580	118	160	06.93-08.06	*
7.163		Diesel		4580	118	160	06.93-08.06	*
6.174		Diesel		4580	125	170	07.99-08.06	*
7.174		Diesel		4580	125	170	07.99-08.06	*
<b>L2000 06.93-</b>								<b>Veh. Municipal</b>
8.163		Diesel		4580	118	160	06.93-08.06	*
<b>TGL 01.04-</b>								<b>Caja/Chasis</b>
7.150, 8.150 (D 0834 LFL 40)		Diesel		4580	110	150	04.05-03.22	* *
7.150, 8.150 (D 0834 LFL 50)		Diesel		4580	110	150	04.05-03.22	* *
7.150, 8.150 (D 0834 LFL 53)		Diesel		4580	110	150	04.05-03.22	* *
7.150, 8.150 (D 0834 LFL 60)		Diesel		4580	110	150	04.05-03.22	* *
7.150, 8.150 (D 0834 LFL 63)		Diesel		4580	110	150	04.05-03.22	* *
7.150, 8.150 (D 0834 LFL 66)		Diesel		4580	110	150	04.05-03.22	* *
10.180 (D 0834 LFL 41)		Diesel		4580	132	180	04.05-03.22	* *
10.180 (D 0834 LFL 51)		Diesel		4580	132	180	04.05-03.22	* *
10.180 (D 0834 LFL 54)		Diesel		4580	132	180	04.05-03.22	* *
10.180 (D 0834 LFL 64)		Diesel		4580	132	180	04.05-03.22	* *
12.180 (D 0834 LFL 41)		Diesel		4580	132	180	04.05-03.22	* *
12.180 (D 0834 LFL 51)		Diesel		4580	132	180	04.05-03.22	* *
12.180 (D 0834 LFL 54)		Diesel		4580	132	180	04.05-03.22	* *
12.180 (D 0834 LFL 64)		Diesel		4580	132	180	04.05-03.22	* *
7.180, 8.180 (D 0834 LFL 41)		Diesel		4580	132	180	04.05-03.22	* *
7.180, 8.180 (D 0834 LFL 51)		Diesel		4580	132	180	04.05-03.22	* *
7.180, 8.180 (D 0834 LFL 54)		Diesel		4580	132	180	04.05-03.22	* *
7.180, 8.180 (D 0834 LFL 61)		Diesel		4580	132	180	04.05-03.22	* *
7.180, 8.180 (D 0834 LFL 64)		Diesel		4580	132	180	04.05-03.22	* *
8.180 (D 0834 LFL 41)		Diesel		4580	132	180	04.05-03.22	* *
8.180 (D 0834 LFL 51)		Diesel		4580	132	180	04.05-03.22	* *

# LISTA DE APLICACIONES - BUYERS GUIDE

8.180 (D 0834 LFL 54)		Diesel		4580	132	180	04.05-03.22	*	*
8.180 (D 0834 LFL 64)		Diesel		4580	132	180	04.05-03.22	*	*
8.180 (D 0834 LFL 67)		Diesel		4580	132	180	04.05-03.22	*	*
10.210 (D 0834 LFL 42)		Diesel		4580	151	206	04.05-03.22	*	*
10.210 (D 0834 LFL 52)		Diesel		4580	151	206	04.05-03.22	*	*
10.210 (D 0834 LFL 55)		Diesel		4580	151	206	04.05-03.22	*	*
12.210 (D 0834 LFL 42)		Diesel		4580	151	206	04.05-03.22	*	*
12.210 (D 0834 LFL 52)		Diesel		4580	151	206	04.05-03.22	*	*
12.210 (D 0834 LFL 55)		Diesel		4580	151	206	04.05-03.22	*	*
8.210 (D 0834 LFL 42)		Diesel		4580	151	206	04.05-03.22	*	*
8.210 (D 0834 LFL 52)		Diesel		4580	151	206	04.05-03.22	*	*
8.210 (D 0834 LFL 55)		Diesel		4580	151	206	04.05-03.22	*	*
10.220 (D 0834 LFL 65)		Diesel		4580	162	220	04.05-03.22	*	*
10.220 (D 0834 LFL 68)		Diesel		4580	162	220	04.05-03.22	*	*
12.220 (D 0834 LFL 65)		Diesel		4580	162	220	04.05-03.22	*	*
12.220 (D 0834 LFL 68)		Diesel		4580	162	220	04.05-03.22	*	*
7.220 (D 0834 LFL 62)		Diesel		4580	162	220	04.05-	*	*
7.220 (D 0834 LFL 65)		Diesel		4580	162	220	04.05-	*	*
8.220 (D 0834 LFL 65)		Diesel		4580	162	220	04.05-03.22	*	*
8.220 (D 0834 LFL 68)		Diesel		4580	162	220	04.05-03.22	*	*
10.240 (D 0836 LFL 40)		Diesel		6871	176	240	04.05-03.22	*	*
10.240 (D 0836 LFL 50)		Diesel		6871	176	240	04.05-03.22	*	*
10.240 (D 0836 LFL 53)		Diesel		6871	176	240	04.05-03.22	*	*
12.240 (D 0836 LFL 40)		Diesel		6871	176	240	04.05-03.22	*	*
12.240 (D 0836 LFL 50)		Diesel		6871	176	240	04.05-03.22	*	*
12.240 (D 0836 LFL 53)		Diesel		6871	176	240	04.05-03.22	*	*
8.240 (D 0836 LFL 40)		Diesel		6871	176	240	04.05-03.22	*	*
8.240 (D 0836 LFL 50)		Diesel		6871	176	240	04.05-03.22	*	*
8.240 (D 0836 LFL 53)		Diesel		6871	176	240	04.05-03.22	*	*
10.250 (D 0836 LFL 63)		Diesel		6871	184	250	04.05-03.22	*	*
10.250 (D 0836 LFL 66)		Diesel		6871	184	250	04.05-03.22	*	*
12.250 (D 0836 LFL 63)		Diesel		6871	184	250	04.05-03.22	*	*
12.250 (D 0836 LFL 66)		Diesel		6871	184	250	04.05-03.22	*	*
7.250 (D 0836 LFL 60)		Diesel		6871	184	250	04.05-	*	*
7.250 (D 0836 LFL 63)		Diesel		6871	184	250	04.05-	*	*
8.250 (D 0836 LFL 63)		Diesel		6871	184	250	04.05-03.22	*	*
8.250 (D 0836 LFL 66)		Diesel		6871	184	250	04.05-03.22	*	*
<b>TGL 01.04-</b>							<b>Camión volquete</b>		
8.150 (D 0834 LFL 40)		Diesel		4580	110	150	10.06-03.22	*	*
8.150 (D 0834 LFL 50)		Diesel		4580	110	150	10.06-03.22	*	*
8.150 (D 0834 LFL 53)		Diesel		4580	110	150	10.06-03.22	*	*
8.150 (D 0834 LFL 63)		Diesel		4580	110	150	10.06-03.22	*	*
8.150 (D 0834 LFL 66)		Diesel		4580	110	150	10.06-03.22	*	*
10.180 (D 0834 LFL 41)		Diesel		4580	132	180	04.05-03.22	*	*
10.180 (D 0834 LFL 51)		Diesel		4580	132	180	04.05-03.22	*	*
10.180 (D 0834 LFL 54)		Diesel		4580	132	180	04.05-03.22	*	*
10.180 (D 0834 LFL 64)		Diesel		4580	132	180	04.05-03.22	*	*
10.180 (D 0834 LFL 67)		Diesel		4580	132	180	04.05-03.22	*	*
12.180 (D 0834 LFL 41)		Diesel		4580	132	180	04.05-03.22	*	*
12.180 (D 0834 LFL 51)		Diesel		4580	132	180	04.05-03.22	*	*
12.180 (D 0834 LFL 54)		Diesel		4580	132	180	04.05-03.22	*	*

# LISTA DE APLICACIONES - BUYERS GUIDE

12.180 (D 0834 LFL 64)		Diesel		4580	132	180	04.05-03.22	*	*
12.180 (D 0834 LFL 67)		Diesel		4580	132	180	04.05-03.22	*	*
8.180 (D 0834 LFL 41)		Diesel		4580	132	180	04.05-03.22	*	*
8.180 (D 0834 LFL 51)		Diesel		4580	132	180	04.05-03.22	*	*
8.180 (D 0834 LFL 54)		Diesel		4580	132	180	04.05-03.22	*	*
8.180 (D 0834 LFL 64)		Diesel		4580	132	180	04.05-03.22	*	*
8.180 (D 0834 LFL 67)		Diesel		4580	132	180	04.05-03.22	*	*
10.210 (D 0834 LFL 42)		Diesel		4580	151	206	04.05-03.22	*	*
10.210 (D 0834 LFL 52)		Diesel		4580	151	206	04.05-03.22	*	*
10.210 (D 0834 LFL 55)		Diesel		4580	151	206	04.05-03.22	*	*
12.210 (D 0834 LFL 42)		Diesel		4580	151	206	04.05-03.22	*	*
12.210 (D 0834 LFL 52)		Diesel		4580	151	206	04.05-03.22	*	*
12.210 (D 0834 LFL 55)		Diesel		4580	151	206	04.05-03.22	*	*
8.210 (D 0834 LFL 42)		Diesel		4580	151	206	04.05-03.22	*	*
8.210 (D 0834 LFL 52)		Diesel		4580	151	206	04.05-03.22	*	*
8.210 (D 0834 LFL 55)		Diesel		4580	151	206	04.05-03.22	*	*
10.220 (D 0834 LFL 65)		Diesel		4580	162	220	04.05-03.22	*	*
10.220 (D 0834 LFL 68)		Diesel		4580	162	220	04.05-03.22	*	*
12.220 (D 0834 LFL 65)		Diesel		4580	162	220	04.05-03.22	*	*
12.220 (D 0834 LFL 68)		Diesel		4580	162	220	04.05-03.22	*	*
8.220 (D 0834 LFL 65)		Diesel		4580	162	220	04.05-03.22	*	*
8.220 (D 0834 LFL 68)		Diesel		4580	162	220	04.05-03.22	*	*
10.240 (D 0836 LFL 40)		Diesel		6871	176	240	04.05-03.22	*	*
10.240 (D 0836 LFL 50)		Diesel		6871	176	240	04.05-03.22	*	*
10.240 (D 0836 LFL 53)		Diesel		6871	176	240	04.05-03.22	*	*
12.240 (D 0836 LFL 40)		Diesel		6871	176	240	04.05-03.22	*	*
12.240 (D 0836 LFL 50)		Diesel		6871	176	240	04.05-03.22	*	*
12.240 (D 0836 LFL 53)		Diesel		6871	176	240	04.05-03.22	*	*
8.240 (D 0836 LFL 40)		Diesel		6871	176	240	04.05-03.22	*	*
8.240 (D 0836 LFL 50)		Diesel		6871	176	240	04.05-03.22	*	*
8.240 (D 0836 LFL 53)		Diesel		6871	176	240	04.05-03.22	*	*
10.250 (D 0836 LFL 63)		Diesel		6871	184	250	04.05-03.22	*	*
10.250 (D 0836 LFL 66)		Diesel		6871	184	250	04.05-03.22	*	*
12.250 (D 0836 LFL 63)		Diesel		6871	184	250	04.05-03.22	*	*
12.250 (D 0836 LFL 66)		Diesel		6871	184	250	04.05-03.22	*	*
8.250 (D 0836 LFL 63)		Diesel		6871	184	250	04.05-03.22	*	*
8.250 (D 0836 LFL 66)		Diesel		6871	184	250	04.05-03.22	*	*
<b>TGL II 02.20-</b>							<b>Caja/Chasis</b>		
10.150		Diesel		4580	110	150	02.20-	*	*
12.150		Diesel		4580	110	150	02.20-	*	*
7.150		Diesel		4580	110	150	02.20-	*	*
8.150		Diesel		4580	110	150	02.20-	*	*
10.180		Diesel		4580	132	179	02.20-	*	*
12.180		Diesel		4580	132	179	02.20-	*	*
7.180		Diesel		4580	132	179	02.20-	*	*
8.180		Diesel		4580	132	179	02.20-	*	*
10.220		Diesel		4580	162	220	02.20-	*	*
12.220		Diesel		4580	162	220	02.20-	*	*
7.220		Diesel		4580	162	220	02.20-	*	*
8.220		Diesel		4580	162	220	02.20-	*	*
10.250		Diesel		6871	184	250	02.20-	*	*

# LISTA DE APLICACIONES - BUYERS GUIDE

12.250		Diesel		6871	184	250	02.20-	*	*
7.250		Diesel		6871	184	250	02.20-	*	*
8.250		Diesel		6871	184	250	02.20-	*	*
10.290		Diesel		6871	213	290	02.20-	*	*
12.290		Diesel		6871	213	290	02.20-	*	*
7.290		Diesel		6871	213	290	02.20-	*	*
8.290		Diesel		6871	213	290	02.20-	*	*
10.340		Diesel		6871	251	341	02.20-	*	*
12.340		Diesel		6871	251	341	02.20-	*	*
7.340		Diesel		6871	251	341	02.20-	*	*
8.340		Diesel		6871	251	341	02.20-	*	*

<b>TGL II 02.20-</b>	<b>Camión volquete</b>
----------------------	------------------------

10.150		Diesel		4580	110	150	02.20-	*	*
12.150		Diesel		4580	110	150	02.20-	*	*
7.150		Diesel		4580	110	150	02.20-	*	*
8.150		Diesel		4580	110	150	02.20-	*	*
10.180		Diesel		4580	132	179	02.20-	*	*
12.180		Diesel		4580	132	179	02.20-	*	*
7.180		Diesel		4580	132	179	02.20-	*	*
8.180		Diesel		4580	132	179	02.20-	*	*
10.220		Diesel		4580	162	220	02.20-	*	*
12.220		Diesel		4580	162	220	02.20-	*	*
7.220		Diesel		4580	162	220	02.20-	*	*
8.220		Diesel		4580	162	220	02.20-	*	*
10.250		Diesel		6871	184	250	02.20-	*	*
12.250		Diesel		6871	184	250	02.20-	*	*
7.250		Diesel		6871	184	250	02.20-	*	*
8.250		Diesel		6871	184	250	02.20-	*	*
10.290		Diesel		6871	213	290	02.20-	*	*
12.290		Diesel		6871	213	290	02.20-	*	*
7.290		Diesel		6871	213	290	02.20-	*	*
8.290		Diesel		6871	213	290	02.20-	*	*
10.340		Diesel		6871	251	341	02.20-	*	*
12.340		Diesel		6871	251	341	02.20-	*	*
7.340		Diesel		6871	251	341	02.20-	*	*
8.340		Diesel		6871	251	341	02.20-	*	*

## MERCEDES-BENZ

<b>ACCELO 10.98-</b>	<b>Caja/Chasis</b>
----------------------	--------------------

715 C (OM 612.965)		Diesel		2685	115	156	05.03-	*	*
715 C (OM 612.966)		Diesel		2685	115	156	05.03-	*	*
715 C (OM 612.983)		Diesel		2685	115	156	05.03-	*	*
710 (OM 374.992)		Diesel		3972	80	109	05.03-	*	*
914 C		Diesel		4249	100	136	10.98-	*	*
915, 915 C (OM 904.943)		Diesel		4249	110	150	05.03-	*	*
915, 915 C (OM 904.957)		Diesel		4249	110	150	05.03-	*	*
915, 915 C (OM 904.965)		Diesel		4249	110	150	05.03-	*	*
915, 915 C (OM 904.966)		Diesel		4249	110	150	05.03-	*	*
915, 915 C (OM 904.970)		Diesel		4249	110	150	05.03-	*	*
815		Diesel		4801	110	150	01.12-	*	*
1016		Diesel		4801	115	156	01.12-	*	*

# LISTA DE APLICACIONES - BUYERS GUIDE

<b>ATEGO 01.98-10.04</b>					<b>Caja/Chasis</b>				
712 (OM 904.909)		Diesel		4249	90	122	01.98-10.04	*	*
812 (OM 904.909)		Diesel		4249	90	122	01.98-10.04	*	*
1014, 1014 L (OM 904.916)		Diesel		4249	100	136	01.98-10.04	*	*
1214, 1214 L (OM 904.910)		Diesel		4249	100	136	01.98-10.04	*	*
1214, 1214 L (OM 904.916)		Diesel		4249	100	136	01.98-10.04	*	*
714, 714 L (OM 904.910)		Diesel		4249	100	136	01.98-10.04	*	*
714, 714 L (OM 904.916)		Diesel		4249	100	136	01.98-10.04	*	*
814, 814 L (OM 904.910)		Diesel		4249	100	136	01.98-10.04	*	*
814, 814 L (OM 904.916)		Diesel		4249	100	136	01.98-10.04	*	*
814, 814 L (OM 904.930)		Diesel		4249	100	136	01.98-10.04	*	*
914, 914 L (OM 904.916)		Diesel		4249	100	136	01.98-10.04	*	*
1015		Diesel		4249	112	152	04.98-09.04	*	*
715,715 L (OM 904.922)		Diesel		4249	112	152	01.98-10.04	*	*
815,815 L (OM 904.922)		Diesel		4249	112	152	01.98-10.04	*	*
815,815 L (OM 904.922)		Diesel		4249	112	152	01.98-10.04	*	*
1017, 1017 L (OM 904.911)		Diesel		4249	125	170	01.98-10.04	*	*
1017, 1017 L (OM 904.917)		Diesel		4249	125	170	01.98-10.04	*	*
1017A (OM 904.911)		Diesel		4249	125	170	01.98-10.04	*	*
1017A (OM 904.917)		Diesel		4249	125	170	01.98-10.04	*	*
1217, 1217 L (OM 904.911)		Diesel		4249	125	170	01.98-10.04	*	*
1217, 1217 L (OM 904.917)		Diesel		4249	125	170	01.98-10.04	*	*
717, 717 L (OM 904.911)		Diesel		4249	125	170	01.98-10.04	*	*
717, 717 L (OM 904.917)		Diesel		4249	125	170	01.98-10.04	*	*
817, 817 L (OM 904.911)		Diesel		4249	125	170	01.98-10.04	*	*
817, 817 L (OM 904.917)		Diesel		4249	125	170	01.98-10.04	*	*
817, 817 L (OM 904.911)		Diesel		4249	125	170	01.98-10.04	*	*
817, 817 L (OM 904.917)		Diesel		4249	125	170	01.98-10.04	*	*
917, 917 L (OM 904.911)		Diesel		4249	125	170	01.98-10.04	*	*
917, 917 L (OM 904.917)		Diesel		4249	125	170	01.98-10.04	*	*
1018		Diesel		4249	130	177	04.98-09.04	*	*
1018 L		Diesel		4249	130	177	04.98-09.04	*	*
1218		Diesel		4249	130	177	04.98-09.04	*	*
1218 L		Diesel		4249	130	177	04.98-09.04	*	*
818		Diesel		4249	130	177	04.98-09.04	*	*
818 L		Diesel		4249	130	177	04.98-09.04	*	*
918		Diesel		4249	130	177	04.98-09.04	*	*
918 L		Diesel		4249	130	177	04.98-09.04	*	*
1023		Diesel		6374	170	231	04.98-09.04	*	*
1023, 1023 L (OM 906.910)		Diesel		6374	170	231	01.98-10.04	*	*
1223, 1223 L (OM 906.910)		Diesel		6374	170	231	01.98-10.04	*	*
1223, 1223 L (OM 906.915)		Diesel		6374	170	231	01.98-10.04	*	*
823, 823 L (OM 906.910)		Diesel		6374	170	231	01.98-10.04	*	*
823, 823 L (OM 906.915)		Diesel		6374	170	231	01.98-10.04	*	*
923, 923 L (OM 906.910)		Diesel		6374	170	231	01.98-10.04	*	*
1223		Diesel		6374	172	234	04.98-09.04	*	*
<b>ATEGO 01.98-10.04</b>					<b>Camión volquete</b>				
1014 K (OM 904.916)		Diesel		4249	100	136	01.98-10.04	*	*
714 K (OM 904.910)		Diesel		4249	100	136	01.98-10.04	*	*
714 K (OM 904.916)		Diesel		4249	100	136	01.98-10.04	*	*
814K (OM 904.910)		Diesel		4249	100	136	01.98-10.04	*	*

# LISTA DE APLICACIONES - BUYERS GUIDE

814K (OM 904.916)		Diesel		4249	100	136	01.98-10.04	*	*
814K (OM 904.910)		Diesel		4249	100	136	01.98-10.04	*	*
814K (OM 904.916)		Diesel		4249	100	136	01.98-10.04	*	*
914K (OM 904.916)		Diesel		4249	100	136	01.98-10.04	*	*
715 K		Diesel		4249	112	152	04.98-09.04	*	*
815 K (OM 904.922)		Diesel		4249	112	152	01.98-10.04	*	*
815 K (OM 904.922)		Diesel		4249	112	152	01.98-10.04	*	*
1017AK (OM 904.911)		Diesel		4249	125	170	01.98-10.04	*	*
1017K (OM 904.911)		Diesel		4249	125	170	01.98-10.04	*	*
1017K (OM 904.917)		Diesel		4249	125	170	01.98-10.04	*	*
717 K (OM 904.911)		Diesel		4249	125	170	01.98-10.04	*	*
717 K (OM 904.917)		Diesel		4249	125	170	01.98-10.04	*	*
817K (OM 904.911)		Diesel		4249	125	170	01.98-10.04	*	*
817K (OM 904.911)		Diesel		4249	125	170	01.98-10.04	*	*
817K (OM 904.917)		Diesel		4249	125	170	01.98-10.04	*	*
917K (OM 904.911)		Diesel		4249	125	170	01.98-10.04	*	*
917K (OM 904.917)		Diesel		4249	125	170	01.98-10.04	*	*
1018 K		Diesel		4249	130	177	04.98-09.04	*	*
818 K		Diesel		4249	130	177	04.98-09.04	*	*
918 K		Diesel		4249	130	177	04.98-09.04	*	*
1023 AK (OM 906.910)		Diesel		6374	170	231	01.98-10.04	*	*
1023 AK (OM 906.915)		Diesel		6374	170	231	01.98-10.04	*	*
1023 K (OM 906.910)		Diesel		6374	170	231	01.98-10.04	*	*
1023 K (OM 906.915)		Diesel		6374	170	231	01.98-10.04	*	*
823 K (OM 906.910)		Diesel		6374	170	231	01.98-10.04	*	*
823 K (OM 906.915)		Diesel		6374	170	231	01.98-10.04	*	*
923 K (OM 906.910)		Diesel		6374	170	231	01.98-10.04	*	*
923 K (OM 906.915)		Diesel		6374	170	231	01.98-10.04	*	*
<b>ATEGO 01.98-10.04</b>								<b>Veh. Municipal</b>	
815 F (OM 900.912)		Diesel		4249	112	152	01.98-10.04	*	*
815 F (OM 904.922)		Diesel		4249	112	152	01.98-10.04	*	*
1017 KO, 1018 KO (OM 900.913)		Diesel		4249	125	170	01.98-10.04	*	*
1017 KO, 1018 KO (OM 904.911)		Diesel		4249	125	170	01.98-10.04	*	*
1017 KO, 1018 KO (OM 904.917)		Diesel		4249	125	170	01.98-10.04	*	*
917AF (OM 904.911)		Diesel		4249	125	170	01.98-10.04	*	*
917AF (OM 904.917)		Diesel		4249	125	170	01.98-10.04	*	*
917AF (OM 904.949)		Diesel		4249	125	170	01.98-10.04	*	*
917KO (OM 904.911)		Diesel		4249	125	170	01.98-10.04	*	*
925 AF (OM 906.919)		Diesel		6374	180	245	01.98-10.04	*	*
925 AF (OM 906.939)		Diesel		6374	180	245	01.98-10.04	*	*
<b>ATEGO 2 01.04-</b>								<b>Caja/Chasis</b>	
1222 L		Bicombu stible		4801	160	218	10.04-	*	*
<b>ATEGO 2 01.04-</b>								<b>Caja/Chasis</b>	
712, 713 (OM 900.911)		Diesel		4249	90	122	10.04-	*	*
712, 713 (OM 900.917)		Diesel		4249	90	122	10.04-	*	*
712, 713 (OM 904.909)		Diesel		4249	90	122	10.04-	*	*
712, 713 (OM 904.915)		Diesel		4249	90	122	10.04-	*	*
812, 813 (OM 900.911)		Diesel		4249	90	122	10.04-	*	*
812, 813 (OM 900.917)		Diesel		4249	90	122	10.04-	*	*
812, 813 (OM 904.909)		Diesel		4249	90	122	10.04-	*	*

# LISTA DE APLICACIONES - BUYERS GUIDE

1015		Diesel		4249	100	136	10.04-	*	*
1015 L		Diesel		4249	100	136	10.04-	*	*
1214 L		Diesel		4249	100	136	10.04-	*	*
1215		Diesel		4249	100	136	10.04-	*	*
1215 L		Diesel		4249	100	136	10.04-	*	*
715 L		Diesel		4249	100	136	10.04-	*	*
815 L		Diesel		4249	100	136	10.04-	*	*
915		Diesel		4249	100	136	10.04-	*	*
915 L		Diesel		4249	100	136	10.04-	*	*
1015, 1015 L (OM 904.922)		Diesel		4249	112	152	10.04-	*	*
1215, 1215 L, 1216, 1216 L (OM 900.912)		Diesel		4249	112	152	10.04-	*	*
1215, 1215 L, 1216, 1216 L (OM 904.922)		Diesel		4249	112	152	10.04-	*	*
715, 715 L, 716, 716 L (OM 900.912)		Diesel		4249	112	152	10.04-	*	*
715, 715 L, 716, 716 L (OM 900.918)		Diesel		4249	112	152	10.04-	*	*
715, 715 L, 716, 716 L (OM 904.922)		Diesel		4249	112	152	10.04-	*	*
815, 815 L, 816, 816 L (OM 900.912)		Diesel		4249	112	152	10.04-	*	*
815, 815 L, 816, 816 L (OM 900.918)		Diesel		4249	112	152	10.04-	*	*
815, 815 L, 816, 816 L (OM 904.922)		Diesel		4249	112	152	10.04-	*	*
915, 915 L, 916, 916 L (OM 900.912)		Diesel		4249	112	152	10.04-	*	*
915, 915 L, 916, 916 L (OM 900.918)		Diesel		4249	112	152	10.04-	*	*
915, 915 L, 916, 916 L (OM 904.922)		Diesel		4249	112	152	10.04-	*	*
1016, 1016 L (OM 900.912)		Diesel		4249	115	156	10.04-	*	*
1016, 1016 L (OM 900.918)		Diesel		4249	115	156	10.04-	*	*
816, 816 L (OM 900.912)		Diesel		4249	115	156	10.04-	*	*
1017		Diesel		4249	125	170	10.04-	*	*
1017 L		Diesel		4249	125	170	10.04-	*	*
1217		Diesel		4249	125	170	10.04-	*	*
1217 L		Diesel		4249	125	170	10.04-	*	*
817		Diesel		4249	125	170	10.04-	*	*
817 L		Diesel		4249	125	170	10.04-	*	*
917		Diesel		4249	125	170	10.04-	*	*
917 L		Diesel		4249	125	170	10.04-	*	*
1018, 1018 L (OM 900.913)		Diesel		4249	130	177	10.04-	*	*
1018, 1018 L (OM 900.919)		Diesel		4249	130	177	10.04-	*	*
1018 A (OM 900.913)		Diesel		4249	130	177	10.04-	*	*
1018 A (OM 900.919)		Diesel		4249	130	177	10.04-	*	*
1218, 1218 L (OM 900.913)		Diesel		4249	130	177	10.04-	*	*
818, 818 L (OM 900.913)		Diesel		4249	130	177	10.04-	*	*
818, 818 L (OM 900.919)		Diesel		4249	130	177	10.04-	*	*
818, 818 L (OM 900.913)		Diesel		4249	130	177	10.04-	*	*
818, 818 L (OM 900.919)		Diesel		4249	130	177	10.04-	*	*
918, 918 L (OM 900.913)		Diesel		4249	130	177	10.04-	*	*
918, 918 L (OM 900.919)		Diesel		4249	130	177	10.04-	*	*
1016, 1016 L (OM 924.935)		Diesel		4801	115	156	10.04-	*	*
1016 L		Diesel		4801	115	156	10.04-	*	*
1216, 1216 L (OM 924.935)		Diesel		4801	115	156	10.04-	*	*
1216 L		Diesel		4801	115	156	10.04-	*	*
716		Diesel		4801	115	156	10.04-	*	*
716 L		Diesel		4801	115	156	10.04-	*	*
816, 816 L (OM 924.935)		Diesel		4801	115	156	10.04-	*	*
816, 816 L (OM 924.935)		Diesel		4801	115	156	10.04-	*	*

# LISTA DE APLICACIONES - BUYERS GUIDE

816 L		Diesel		4801	115	156	10.04-	*	*
916, 916 L (OM 924.935)		Diesel		4801	115	156	10.04-	*	*
916 L		Diesel		4801	115	156	10.04-	*	*
1022, 1022 L (OM 924.920)		Diesel		4801	160	218	10.04-	*	*
1022, 1022 L (OM 924.922)		Diesel		4801	160	218	10.04-	*	*
1022, 1022 L (OM 924.930)		Diesel		4801	160	218	10.04-	*	*
1022 A (OM 924.922)		Diesel		4801	160	218	10.04-	*	*
1222, 1222 L (OM 924.920)		Diesel		4801	160	218	10.04-	*	*
1222, 1222 L (OM 924.922)		Diesel		4801	160	218	10.04-	*	*
1222, 1222 L (OM 924.930)		Diesel		4801	160	218	10.04-	*	*
722		Diesel		4801	160	218	10.04-	*	*
722 L		Diesel		4801	160	218	10.04-	*	*
822, 822 L (OM 924.920)		Diesel		4801	160	218	10.04-	*	*
822, 822 L (OM 924.922)		Diesel		4801	160	218	10.04-	*	*
822, 822 L (OM 924.930)		Diesel		4801	160	218	10.04-	*	*
822, 822 L (OM 924.920)		Diesel		4801	160	218	10.04-	*	*
822, 822 L (OM 924.922)		Diesel		4801	160	218	10.04-	*	*
822, 822 L (OM 924.930)		Diesel		4801	160	218	10.04-	*	*
922, 922 L (OM 924.920)		Diesel		4801	160	218	10.04-	*	*
922, 922 L (OM 924.922)		Diesel		4801	160	218	10.04-	*	*
922, 922 L (OM 924.930)		Diesel		4801	160	218	10.04-	*	*
1023, 1023 L, 1024, 1024 L (OM 902.916)		Diesel		6374	170	231	10.04-	*	*
1023, 1023 L, 1024, 1024 L (OM 906.910)		Diesel		6374	170	231	10.04-	*	*
1023, 1023 L, 1024, 1024 L (OM 906.915)		Diesel		6374	170	231	10.04-	*	*
1023 A, 1024 A (OM 902.916)		Diesel		6374	170	231	10.04-	*	*
1023 A, 1024 A (OM 906.910)		Diesel		6374	170	231	10.04-	*	*
1023 A, 1024 A (OM 906.915)		Diesel		6374	170	231	10.04-	*	*
1223, 1223 L, 1224, 1224 L (OM 902.916)		Diesel		6374	170	231	10.04-	*	*
1223, 1223 L, 1224, 1224 L (OM 906.910)		Diesel		6374	170	231	10.04-	*	*
1223, 1223 L, 1224, 1224 L (OM 906.915)		Diesel		6374	170	231	10.04-	*	*
823, 823 L, 824, 824 L (OM 902.916)		Diesel		6374	170	231	10.04-	*	*
823, 823 L, 824, 824 L (OM 906.910)		Diesel		6374	170	231	10.04-	*	*
823, 823 L, 824, 824 L (OM 906.915)		Diesel		6374	170	231	10.04-	*	*
923, 923 L, 924, 924 L (OM 902.916)		Diesel		6374	170	231	10.04-	*	*
923, 923 L, 924, 924 L (OM 906.910)		Diesel		6374	170	231	10.04-	*	*
923, 923 L, 924, 924 L (OM 906.915)		Diesel		6374	170	231	10.04-	*	*
2229 L (OM 902.918)		Diesel		6374	210	286	10.04-	*	*
1024, 1024 L (OM 925.920)		Diesel		7201	175	238	10.04-	*	*
1024 L		Diesel		7201	175	238	10.04-	*	*
1224, 1224 L (OM 925.920)		Diesel		7201	175	238	10.04-	*	*
1224 L		Diesel		7201	175	238	10.04-	*	*
824, 824 L (OM 925.920)		Diesel		7201	175	238	10.04-	*	*
924, 924 L (OM 925.920)		Diesel		7201	175	238	10.04-	*	*
1026, 1026 L (OM 925.920)		Diesel		7201	188	256	10.04-	*	*
1226, 1226 L (OM 925.920)		Diesel		7201	188	256	10.04-12.14	*	*
1226 L		Diesel		7201	188	256	10.04-	*	*
826, 826 L (OM 925.920)		Diesel		7201	188	256	10.04-	*	*
926, 926 L (OM 925.920)		Diesel		7201	188	256	10.04-	*	*
1029, 1029 L (OM 925.920)		Diesel		7201	210	286	10.04-	*	*
1229, 1229 L (OM 925.920)		Diesel		7201	210	286	10.04-	*	*
1229 L		Diesel		7201	210	286	10.04-	*	*

# LISTA DE APLICACIONES - BUYERS GUIDE

829, 829 L (OM 925.920)	Diesel		7201	210	286	10.04-	*	*	
929, 929 L (OM 925.920)	Diesel		7201	210	286	10.04-	*	*	
<b>ATEGO 2 01.04-</b>							<b>Camión volquete</b>		
812 K (OM 904.909)	Diesel		4249	90	122	10.04-	*	*	
1015 K (OM 904.916)	Diesel		4249	100	136	10.04-	*	*	
815 K	Diesel		4249	100	136	10.04-	*	*	
915 K	Diesel		4249	100	136	10.04-	*	*	
1015 K, 1016 K (OM 900.912)	Diesel		4249	112	152	10.04-	*	*	
1015 K, 1016 K (OM 900.918)	Diesel		4249	112	152	10.04-	*	*	
1015 K, 1016 K (OM 904.922)	Diesel		4249	112	152	10.04-	*	*	
715 K	Diesel		4249	112	152	10.04-	*	*	
815 K, 816 K (OM 900.912)	Diesel		4249	112	152	10.04-	*	*	
815 K, 816 K (OM 900.918)	Diesel		4249	112	152	10.04-	*	*	
815 K, 816 K (OM 904.922)	Diesel		4249	112	152	10.04-	*	*	
815 K, 816 K (OM 900.912)	Diesel		4249	112	152	10.04-	*	*	
815 K, 816 K (OM 900.918)	Diesel		4249	112	152	10.04-	*	*	
815 K, 816 K (OM 904.922)	Diesel		4249	112	152	10.04-	*	*	
915 K (OM 904.922)	Diesel		4249	112	152	10.04-	*	*	
716 K	Diesel		4249	115	156	10.04-	*	*	
916 K (OM 900.912)	Diesel		4249	115	156	10.04-	*	*	
916 K (OM 900.918)	Diesel		4249	115	156	10.04-	*	*	
1017AK (OM 904.917)	Diesel		4249	125	170	10.04-	*	*	
1017 K, 1018 K (OM 900.913)	Diesel		4249	125	170	10.04-	*	*	
1017 K, 1018 K (OM 900.919)	Diesel		4249	125	170	10.04-	*	*	
1017 K, 1018 K (OM 904.911)	Diesel		4249	125	170	10.04-	*	*	
817K	Diesel		4249	125	170	10.04-	*	*	
917K	Diesel		4249	125	170	10.04-	*	*	
1018 AK (OM 900.913)	Diesel		4249	130	177	10.04-	*	*	
818 K (OM 900.913)	Diesel		4249	130	177	10.04-	*	*	
818 K (OM 900.919)	Diesel		4249	130	177	10.04-	*	*	
818 K (OM 900.913)	Diesel		4249	130	177	10.04-	*	*	
818 K (OM 900.919)	Diesel		4249	130	177	10.04-	*	*	
918 K (OM 900.913)	Diesel		4249	130	177	10.04-	*	*	
918 K (OM 900.919)	Diesel		4249	130	177	10.04-	*	*	
1016 K	Diesel		4801	115	156	10.04-	*	*	
716 K	Diesel		4801	115	156	10.04-	*	*	
816 K	Diesel		4801	115	156	10.04-	*	*	
916 K	Diesel		4801	115	156	10.04-	*	*	
1022 AK (OM 924.922)	Diesel		4801	160	218	10.04-	*	*	
1022 K (OM 924.920)	Diesel		4801	160	218	10.04-	*	*	
1022 K (OM 924.922)	Diesel		4801	160	218	10.04-	*	*	
822 K (OM 924.920)	Diesel		4801	160	218	10.04-	*	*	
822 K (OM 924.920)	Diesel		4801	160	218	10.04-	*	*	
822 K (OM 924.922)	Diesel		4801	160	218	10.04-	*	*	
922 K (OM 924.920)	Diesel		4801	160	218	10.04-	*	*	
922 K (OM 924.922)	Diesel		4801	160	218	10.04-	*	*	
1023 K	Diesel		6374	170	231	10.04-	*	*	
823 K	Diesel		6374	170	231	10.04-	*	*	
923 K	Diesel		6374	170	231	10.04-	*	*	
1024 AK (OM 902.916)	Diesel		6374	175	238	10.04-	*	*	
1024 K (OM 902.916)	Diesel		6374	175	238	10.04-	*	*	

## LISTA DE APLICACIONES - BUYERS GUIDE

824 K (OM 902.916)		Diesel		6374	175	238	10.04-	*	*	
924 K (OM 902.916)		Diesel		6374	175	238	10.04-	*	*	
1024 K		Diesel		7201	175	238	10.04-	*	*	
824 K		Diesel		7201	175	238	10.04-	*	*	
924 K		Diesel		7201	175	238	10.04-	*	*	
1026 K		Diesel		7201	188	256	10.04-	*	*	
826 K		Diesel		7201	188	256	10.04-	*	*	
926 K		Diesel		7201	188	256	10.04-	*	*	
1029 K		Diesel		7201	210	286	10.04-	*	*	
829 K		Diesel		7201	210	286	10.04-	*	*	
929 K		Diesel		7201	210	286	10.04-	*	*	
<b>ATEGO 2 01.04-</b>							<b>Veh. Municipal</b>			
815 F (OM 904.916)		Diesel		4249	100	136	10.04-	*	*	
815 F		Diesel		4249	112	152	10.04-	*	*	
816 F		Diesel		4249	115	156	10.04-	*	*	
1017 KO		Diesel		4249	125	170	10.04-	*	*	
1018 KO		Diesel		4249	130	177	10.04-	*	*	
816 F		Diesel		4801	115	156	10.04-	*	*	
1022 KO (OM 924.922)		Diesel		4801	160	218	10.04-	*	*	
822 F (OM 924.922)		Diesel		4801	160	218	10.04-	*	*	
<b>ATEGO 3 04.13-</b>							<b>Caja/Chasis</b>			
1016, 1016 L (OM 934.911)		Diesel		5132	115	156	04.13-	*	*	
1216, 1216 L (OM 934.911)		Diesel		5132	115	156	04.13-	*	*	
1216, 1216 L (OM 934.911)		Diesel		5132	115	156	04.13-	*	*	
716, 716 L (OM 934.911)		Diesel		5132	115	156	04.13-	*	*	
716, 716 L (OM 934.911)		Diesel		5132	115	156	04.13-	*	*	
816, 816 L (OM 934.911)		Diesel		5132	115	156	04.13-	*	*	
816, 816 L (OM 934.911)		Diesel		5132	115	156	04.13-	*	*	
916, 916 L (OM 934.911)		Diesel		5132	115	156	04.13-	*	*	
1018, 1018 L (OM 934.911)		Diesel		5132	130	177	04.13-	*	*	
1218, 1218 L (OM 934.911)		Diesel		5132	130	177	04.13-	*	*	
1218, 1218 L (OM 934.911)		Diesel		5132	130	177	04.13-	*	*	
718, 718 L (OM 934.911)		Diesel		5132	130	177	04.13-	*	*	
818, 818 L (OM 934.911)		Diesel		5132	130	177	04.13-	*	*	
818, 818 L (OM 934.911)		Diesel		5132	130	177	04.13-	*	*	
918, 918 L (OM 934.911)		Diesel		5132	130	177	04.13-	*	*	
1021, 1021 L (OM 934.913)		Diesel		5132	155	211	04.13-	*	*	
1221, 1221 L (OM 934.913)		Diesel		5132	155	211	04.13-	*	*	
721, 721 L (OM 934.913)		Diesel		5132	155	211	04.13-	*	*	
821, 821 L (OM 934.913)		Diesel		5132	155	211	04.13-	*	*	
821, 821 L (OM 934.913)		Diesel		5132	155	211	04.13-	*	*	
921, 921 L (OM 934.913)		Diesel		5132	155	211	04.13-	*	*	
1223, 1223 L (OM 934.913)		Diesel		5132	170	231	04.13-	*	*	
1223, 1223 L (OM 934.913)		Diesel		5132	170	231	04.13-	*	*	
723, 723 L (OM 934.913)		Diesel		5132	170	231	04.13-	*	*	
823, 823 L (OM 934.913)		Diesel		5132	170	231	04.13-	*	*	
823, 823 L (OM 934.913)		Diesel		5132	170	231	04.13-	*	*	
923, 923 L (OM 934.913)		Diesel		5132	170	231	04.13-	*	*	
1224, 1224 L		Diesel		7698	175	238	04.13-	*	*	
2124		Diesel		7698	175	238	04.17-	*	*	
824, 824 L		Diesel		7698	175	238	04.13-	*	*	

## LISTA DE APLICACIONES - BUYERS GUIDE

1027		Diesel		7698	200	272	05.13-	*	*
1027 L		Diesel		7698	200	272	05.13-	*	*
1227, 1227 L		Diesel		7698	200	238	04.13-	*	*
2127		Diesel		7698	200	272	04.17-	*	*
827		Diesel		7698	200	272	05.13-	*	*
827 L		Diesel		7698	200	272	05.13-	*	*
927		Diesel		7698	200	272	05.13-	*	*
927 L		Diesel		7698	200	272	05.13-	*	*
1030		Diesel		7698	220	299	05.13-	*	*
1030 L		Diesel		7698	220	299	05.13-	*	*
1530, 1530 L		Diesel		7698	220	299	04.13-	*	*
2130		Diesel		7698	220	299	04.17-	*	*
830		Diesel		7698	220	299	05.13-	*	*
830 L		Diesel		7698	220	299	05.13-	*	*
930		Diesel		7698	220	299	05.13-	*	*
930 L		Diesel		7698	220	299	05.13-	*	*
<b>ATEGO 3 04.13-</b>				<b>Camión volquete</b>					
1016 K (OM 934.911)		Diesel		5132	115	156	04.13-	*	*
716 K (OM 934.911)		Diesel		5132	115	156	04.13-	*	*
816 K (OM 934.911)		Diesel		5132	115	156	04.13-	*	*
816 K (OM 934.911)		Diesel		5132	115	156	04.13-	*	*
916 K (OM 934.911)		Diesel		5132	115	156	04.13-	*	*
1018 K (OM 934.911)		Diesel		5132	130	177	04.13-	*	*
718 K (OM 934.911)		Diesel		5132	130	177	04.13-	*	*
818 K (OM 934.911)		Diesel		5132	130	177	04.13-	*	*
818 K (OM 934.911)		Diesel		5132	130	177	04.13-	*	*
918 K (OM 934.911)		Diesel		5132	130	177	04.13-	*	*
1021 K (OM 934.913)		Diesel		5132	155	211	04.13-	*	*
721 K (OM 934.913)		Diesel		5132	155	211	04.13-	*	*
821 K (OM 934.913)		Diesel		5132	155	211	04.13-	*	*
821 K (OM 934.913)		Diesel		5132	155	211	04.13-	*	*
921 K (OM 934.913)		Diesel		5132	155	211	04.13-	*	*
1023 K (OM 934.913)		Diesel		5132	170	231	04.13-	*	*
723 K (OM 934.913)		Diesel		5132	170	231	04.13-	*	*
823 K (OM 934.913)		Diesel		5132	170	231	04.13-	*	*
823 K (OM 934.913)		Diesel		5132	170	231	04.13-	*	*
923 K (OM 934.913)		Diesel		5132	170	231	04.13-	*	*
1024 K		Diesel		7698	175	238	04.13-	*	*
824 K		Diesel		7698	175	238	04.13-	*	*
1027 K		Diesel		7698	200	272	05.13-	*	*
827 K		Diesel		7698	200	272	05.13-	*	*
927 K		Diesel		7698	200	272	05.13-	*	*
1030 K		Diesel		7698	220	299	05.13-	*	*
1530 K		Diesel		7698	220	299	04.13-	*	*
830 K		Diesel		7698	220	299	05.13-	*	*
930 K		Diesel		7698	220	299	05.13-	*	*
<b>ATEGO 3 04.13-</b>				<b>Veh. Municipal</b>					
1016 KO		Diesel		5132	115	156	05.13-	*	*
916 F		Diesel		5132	115	156	05.13-	*	*
1018 KO (OM 934.911)		Diesel		5132	130	177	04.13-	*	*
918 F (OM 934.911)		Diesel		5132	130	177	04.13-	*	*

# LISTA DE APLICACIONES - BUYERS GUIDE

1021 KO (OM 934.913)	Diesel		5132	155	211	04.13-	*	*
921 F	Diesel		5132	155	211	05.13-	*	*
1023 KO (OM 934.913)	Diesel		5132	170	231	04.13-	*	*
923 F (OM 934.913)	Diesel		5132	170	231	04.13-	*	*
924 F	Diesel		7698	175	238	05.13-	*	*
1530 F	Diesel		7698	220	299	04.13-	*	*
930 F	Diesel		7698	220	299	05.13-	*	*
<b>NISSAN</b>								
<b>NT500 (G40M) 10.13-12.16</b>						<b>Caja/Chasis</b>		
75.18, 75.18 MTA	Diesel		2953	130	177	10.13-12.16	*	*
<b>TRENKAMP&amp;GEHLE GMBH (GIGANT)</b>								
<b>Protec</b>						<b>Eje remolque</b>		
DH4 05506 3334						01.99-		*